



BRAND GUIDELINES

CONTENTS

WHAT'S INSIDE

MISSION STATEMENT & MOTTO _____ 3

OUR BRAND

USING THE BRAND NAME _____ 4

BRAND PERSONA _____ 5

VISUAL IDENTITY

LOGO AND COLOR VARIANTS _____ 6

CORPORATE SIGNATURE _____ 7

ALTERNATE LOGO _____ 8

NEVER MISUSE THE LOGO _____ 9

CORPORATE COLORS _____ 10

OUR CORPORATE STYLE GUIDE _____ 11

SCALE FACTOR AND ISOLATION SPACE _ 14

MISSION STATEMENT & MOTTO

WHO ARE WE AND WHAT WE STAND FOR

MISSION STATEMENT

We stand for EXCELLENCE in our products and our associates.

We aspire to be the industry LEADER by recognizing that the Customer is KING and our associates are our greatest ASSET.

MOTTO

The only constant is change

WHO WE ARE

Long version

CURT, a CURT Group brand, is the leading manufacturer of USA-made hitches and a complete line of towing products. We offer the broadest selection of custom-fit receiver hitches for nearly every vehicle on the road today. We also offer gooseneck, 5th wheel and weight distribution hitches, as well as electrical components, ball mounts, trailer balls, cargo carriers, bike racks and other towing accessories. For everything from passenger cars and vans to full-size pickups and SUVs, CURT is 'The First Name in Towing Products.'

WHO WE ARE

Short version

CURT is the leading manufacturer of USA-made trailer hitches and a complete line of towing and electrical products. For everything from passenger cars to full-size trucks, our products are tested, proven and safe.

OUR BRAND

USING THE BRAND NAME

To maintain professionalism and consistency within our company, it is important to follow specific brand guidelines.

When writing our brand name, always use all caps.

All website URLs should always be written in lowercase.

Please refer to the following when writing out CURT. If there are questions related to exceptions, contact the Marketing Services Manager.

CURT

Capitalization rules

"CURT" should always be written in all caps. "Curt" is never acceptable. We are no longer using "CURT Manufacturing". The brand is simply "CURT".

Acceptable uses: CURT, curtmfg.com

OUR BRAND

CURT CONSUMER PERSONA



ADVENTUROUS | HARDWORKING | AMERICAN | FAMILY FUN



VISUAL IDENTITY

OUR LOGO AND COLOR VARIANTS

Shown below are the basic forms. These are the most accurate representations and should be used whenever possible.

A white background is preferred, though blue is also acceptable at the discretion of the designer.

PRIMARY:

Always use this version first




SECONDARY A:

Use this if primary color cannot be used



SECONDARY B:

Use these only if color is not an option



VISUAL IDENTITY

CORPORATE SIGNATURE AND COLOR VARIANTS

CORPORATE SIGNATURE HORIZONTAL, ON WHITE:

Use this if primary color cannot be used



CORPORATE SIGNATURE HORIZONTAL, ON BLACK:

Always use this version first



CORPORATE SIGNATURE HORIZONTAL, BLACK AND WHITE:

Use these only if color is not an option



CORPORATE SIGNATURE STANDARD, ON WHITE:

Use this if primary color cannot be used



CORPORATE SIGNATURE STANDARD, ON BLACK:

Always use this version first



CORPORATE SIGNATURE STANDARD, BLACK AND WHITE:

Use these only if color is not an option



VISUAL IDENTITY

ALTERNATE LOGO AND COLOR VARIANTS



PRIMARY VERTICAL:

Always use these versions first



SECONDARY VERTICAL:

Use these only if color is not an option



VISUAL IDENTITY

NEVER MISUSE THE LOGO

The proper use of the CURT logo is essential in order to ensure consistent corporate identity. The logo must not be altered in any way, redrawn, embellished or recreated; variations are not permitted. Incorrect forms affect the continuity within the system and weaken the logo's overall impact. Detailed in this section are a number of situations to be avoided.

The examples on this page demonstrate many, but not all, of the incorrect variations to be avoided. Such misuses will undermine the value of the logo's status as a trademark and affect continuity of corporate identity.

DO NOT CONDENSE OR EXPAND




DO NOT CHANGE SIZE RELATIONSHIPS



DO NOT USE UNAPPROVED COLORS




DO NOT PUT ON A PATTERN



DO NOT ROTATE ALL OR ANY PART



DO NOT SWITCH THE COLORS



VISUAL IDENTITY

OUR CORPORATE COLORS

Beyond just the logo, CURT has approved colors that should be used in all forms of communication. By keeping a consistent color pallet, we can be quickly identified.

Color is one of the single most crucial elements when creating a brand. Color produces a strong and cohesive identity. Color plays a major role in our visual perception and is critical in order to evoke the right customer reaction.

WHEN USING SPOT COLORS:

PMS 1665 C	WHITE
PRE-MIXED SPOT COLOR	PAPER

PMS BLACK C
PRE-MIXED SPOT COLOR

WHEN USING PROCESS COLORS:

ORANGE
C:000 M:080 Y:100 K:000 R:241 G:090 B:034 HEX#: F05A22

WHITE
C:000 M:000 Y:000 K:000 R:255 G:255 B:255 HEX#: FFFFFFFF

BLACK
C:000 M:000 Y:000 K:100 R:000 G:000 B:000 HEX#: 000000

ACCEPTABLE SHADES OF GREY:

GREY 80%
C:000 M:000 Y:000 K:080 R:088 G:0089 B:091 HEX#: 58585B

GREY 70%
C:000 M:000 Y:000 K:070 R:109 G:110 B:113 HEX#: 6D6E70

GREY 60%
C:000 M:000 Y:000 K:060 R:128 G:130 B:133 HEX#: 808284

GREY 40%
C:000 M:000 Y:000 K:040 R:167 G:169 B:172 HEX#: A7A9AB

GREY 20%
C:000 M:000 Y:000 K:020 R:209 G:211 B:212 HEX#: D1D2D4

GREY 10%
C:000 M:000 Y:000 K:010 R:230 G:231 B:232 HEX#: E6E7E8

VISUAL IDENTITY

OUR CORPORATE STYLEGUIDE

CURT Group has a unified style guide that drives the creative of all marketing deliverables, from literature to display signage. We have united all brands under two fonts: DIN OT and Helvetica.

When creating marketing assets, please consult with the Marketing Services department for help and guidance to ensure our brand image remains strong and consistent.

See the following pages for additional details relating to fonts, sizes, weights and tables.

EXAMPLES:

TRAILER HITCHES

TESTED. PROVEN. SAFE.

CURT manufactures over 1,000 unique hitch models to provide a custom fit for nearly every vehicle on the road today. We engineer and rigorously test each one to SAE J694 protocols for safety. We protect each hitch, inside and out, with an industry-leading, rust-resistant finish, and we do all of this in the USA. CURT hitches are available in five classes with a range of weight capacities and receiver tube sizes. We also offer front mount, RV and multi-fit hitches for a complete range of towing options.

12 • TRAILER HITCHES • CURTWP.COM • 877.287.8834

FEATURED PRODUCTS

Rear mount hitches
CURT is the industry leader in first-to-market hitch designs, and each one is engineered and tested to the highest safety standards.

Multi-fit hitches
Perfect for the retail setting, multi-fit hitches fit a wide range of applications and are available in several different weight capacities.

Front mount hitches
CURT front mount hitches are vehicle-specific and provide a useful receiver for a cargo carrier, snow plow or even for parking a trailer.

PRODUCT INDEX

14 Class 1 & 2 Trailer Hitches
Made in USA

15 Class 3 & 4 Trailer Hitches
Made in USA

15 Class 5 Trailer Hitches
Made in USA

17 Multi-Fit Trailer Hitches
Made in USA

20 Weld-On Trailer Hitches
Made in USA

21 Bumper Hitches
Made in USA

21 Adjustable RV Hitches
Made in USA

22 RV Towing Products
Made in USA

23 Front Mount Hitches
Made in USA

877.287.8834 • CURTWP.COM • TRAILER HITCHES • 13

CLASS 4 BALL MOUNTS

- Fits any 2" x 2" receiver tube opening
- Increased drop allows for level towing with lifted vehicles
- Yellow shanks can be used with an anti-rattle kit

Part#	GTW / TW	Drop	Rise	Length	Shank Size	Shank Type	Finish
45329	10,000 / 1,000 lbs.	2"	0 3/8"	1 1/8"	1 1/4"	Yellow	Gloss Black
45371	10,000 / 1,000 lbs.	4"	2 3/4"	0 3/8"	1 1/4"	Yellow	Gloss Black
45398	10,000 / 1,000 lbs.	6"	4 3/4"	0 3/8"	1 1/4"	Yellow	Gloss Black
45359	10,000 / 1,000 lbs.	8"	6 3/4"	0 3/8"	1 1/4"	Yellow	Gloss Black
45372	12,000 / 1,200 lbs.	2"	1"	0 3/8"	1 1/4"	Silver	Gloss Black
45353	12,000 / 1,200 lbs.	4"	2"	0 3/8"	1 1/4"	Silver	Gloss Black
45446	12,000 / 1,200 lbs.	6"	3"	0 3/8"	1 1/4"	Silver	Gloss Black
45445	12,000 / 1,200 lbs.	8"	5"	0 3/8"	1 1/4"	Silver	Gloss Black

2 1/2" COMMERCIAL DUTY BALL MOUNTS

- Fits any 2 1/2" x 2 1/2" receiver tube opening
- Ideal for CURT class 5 Commercial Duty trailer hitches (page 15)
- Shank constructed from solid steel for optimum strength

Part#	GTW / TW	Drop	Rise	Length	Shank Size	Shank Type	Finish
45425	15,000 / 1,500 lbs.	3"	1 1/2"	9 1/2"	1 1/4"	Carbon	Carbon
45426	15,000 / 1,500 lbs.	5"	3 1/2"	10"	1 1/4"	Carbon	Carbon
45427	15,000 / 1,500 lbs.	8"	6 1/4"	10 1/2"	1 1/4"	Carbon	Carbon

202 • TOWING ACCESSORIES • CURTWP.COM • 877.287.8834

FORGED BALL MOUNTS

- Fits 2", 2 1/2" or 3" receiver tube openings
- Ideal for CURT class 5 Xtra Duty and Commercial Duty Trailer Hitches (page 15)
- Constructed from solid, forged steel for superior strength

Part#	Shank Size	GTW / TW	Drop	Rise	Length	Shank Size	Finish
45340	2" x 2"	10,000 / 2,000 lbs.	2"	1"	8 1/2"	1 1/4"	Carbon
45341	2" x 2"	10,000 / 2,000 lbs.	4"	3"	8 1/2"	1 1/4"	Carbon
45342	2" x 2"	10,000 / 2,000 lbs.	6"	5"	9 1/2"	1 1/4"	Carbon
45456	2 1/2" x 2 1/2"	20,000 / 2,000 lbs.	2"	1 1/2"	8 1/2"	1 1/4"	Carbon
45458	2 1/2" x 2 1/2"	20,000 / 2,000 lbs.	4"	2 1/2"	8 1/2"	1 1/4"	Carbon
45430	3" x 3"	25,000 / 2,500 lbs.	4"	2"	9"	1 1/4"	Carbon
45431	3" x 3"	25,000 / 2,500 lbs.	6"	4"	10"	1 1/4"	Carbon
45432	3" x 3"	25,000 / 2,500 lbs.	8"	6"	10 1/2"	1 1/4"	Carbon

877.287.8834 • CURTWP.COM • TOWING ACCESSORIES • 203

VISUAL IDENTITY

OUR CORPORATE STYLEGUIDE

Below are some samples of the paragraph styles we use to create our marketing assets. We have varying font sizes and weights that come together to create a consistent CURT Group brand look

and feel. Not all sizes and weights are shown. The Marketing Services department maintains the complete style guide and can help with any design-related decisions.

Note: Font colors may vary depending on the style level in the hierarchy or its context.

HEADLINES

CATEGORY 1

DIN OT Black - 56pt

SECTION 1

DIN OT Black - 35pt

PRODUCT NAME 1

DIN OT Black - 29.5pt

PRODUCT TITLE 1

DIN OT Black - 35pt

Subhead 1

DIN OT Bold - 15pt

BODY AND CAPTIONS

Intro 1

Helvetica Neue LT Std 55 Roman - 11pt

Body 1

Helvetica Neue LT Std 45 Light - 9.75pt

- Bullet Point 1

Helvetica Neue LT Std 45 Light - 10pt

Caption 1

Helvetica Neue LT Std 65 Medium - 10pt

Caption 2

Helvetica Neue LT Std 45 Light - 7.75pt

VISUAL IDENTITY

OUR CORPORATE STYLEGUIDE

Shown below are the two most common types of tables: application guides and product offering. Tables can be customized to fit certain needs, however the general look and feel should match

was is shown below. The Marketing Services department is the go-to source if there are questions when designing and creating tables.

Note: Cell fills and strokes may vary depending on the context in which it is used in the table. Variations exist of all styles.

TABLE STYLES AND FONTS

Table 1, Application Guide

Front Mount Hitches								
Make / Model	Style	Years	Part#	Foot Notes	GTW / TW (lbs.)	Price Code	Install Time	Main Body
Buick								
Enclave	--	08 - 12	31045	D, ●	3500 / 350	35	30	Exposed
Ranier	--	04 - 07	31055	D, ●	3500 / 350	71	45	Exposed
Footnote								

Table 2, Product

Part#	Make / Model	Style	Years	Ball Size	Finish	GTW / Vertical Load
60607*	See page 284 for full list of applications	--	--	2 5/16"	Carbide	30,000 / 7,500 lbs.
60615	Chevrolet Silverado / Sierra 1500 / 2500LD	New body	07 - 17	2 5/16"	Carbide	30,000 / 7,500 lbs.
Footnotes						

Table Header 1

Helvetica Neue LT Std 77 Bold Condensed - 9.5pt

Table Header 2

Helvetica Neue LT Std 57 Condensed - 9.5pt

Table Body 1

Helvetica Neue LT Std 57 Condensed - 9pt

Table Footnote 1


Helvetica Neue LT Std 57 Condensed - 8.5pt

VISUAL IDENTITY

SCALE FACTOR AND ISOLATION SPACE


SCALE FACTOR

X-height is based on the CURT Group symbol height



ISOLATION SPACE

Isolation space is 25% of the CURT Group X-height





CURT[®]



This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.