



CURTTM

The **FIRST** Name
in Towing ProductsTM

TRAILER HITCHES
BALL MOUNTS
TRAILER BALLS
SECURITY
ACCESSORIES
ELECTRICAL
GOOSENECK HITCHES
5TH WHEEL HITCHES
SPECIALIZED TOWING
CARGO MANAGEMENT
MARKETING MATERIALS
LOGO STANDARDS

1.1 OVERVIEW

1.1	Overview	The keystone element of the CURT identity program is the CURT
1.2	Logo & Corporate Signature	Signature – a graphic expression of
1.3	Logo Use with Single Color	the company’s personality. It is the
1.4	Logo & Signature Use with Black / White	common denominator in all visual
1.5	Incorrect Use	communications throughout the
1.6	Scale System & Isolation Space	organization.
1.7	Logo Location & Placement	There are two components: the Logo
1.8	Graphic Relationships	and the Tagline. Wherever the term
		Signature is used in this manual, it
		refers to the Logo in tandem with the
		Tagline.

Color Standards

The Signature will be used according to the following color guidelines to establish color equity and differentiate CURT from competitors.

The effective use of the corporate colors requires a high degree of quality control and attentiveness. Always use the specified CMYK, RGB and HTML specifications, or PMS color, to insure consistent representation.

Proper Use

The proper use of the Corporate Signature is essential in order to ensure consistent corporate identity. The Signature must not be altered in any way, redrawn, embellished or recreated; variations are not permitted. Incorrect forms affect the continuity within the system and weaken the logo's overall impact. Detailed in this section are a number of situations to be avoided.

The CURT Logo, Signature and Tagline are valuable corporate assets and care must be taken to ensure the highest level of brand integrity.

1.2 LOGO & CORPORATE SIGNATURE

The CURT Logo will be used most frequently in Orange. The values for the orange are detailed below:

CMYK: 000.080.100.000

RGB: 241.089.034

HTML: #F15922

PMS: 1665 Coated

Shown below are the three basic forms. These are the most accurate methods of reproduction and should be used whenever possible.

The use of a white or black background is up to the designer and should be based off of the existing layout.

The layout of the webpage or document will determine which Signature file to use. If space is available vertically, use Standard, if space is not available vertically, use Horizontal; CURT does not have a preference.

Corporate Logo, on White



Corporate Logo, on Black



Corporate Signature, Standard, on White



Corporate Signature, Standard, on Black



Corporate Signature, Horizontal, on White



Corporate Signature, Horizontal, on Black



Note:

The Logo should only be used instead of the Signature when the Tagline becomes too small to be read. Our preference is the CURT Signature always be used (Logo with Tagline)

1.3 LOGO USE WITH SINGLE COLOR

Shown below are the basic forms reproduced when single color is the only option. This should only ever occur on black, white or orange.

If a different background color is required, please contact the CURT Graphics Department to discuss your options.

The Tagline cannot be reproduced in one color as orange. If one color orange is the only print option, use Logo only, not Signature.

Corporate Logo, on White

Orange is preferred, but black is acceptable if color is not available



Corporate Logo, on Black

Orange is preferred, but white is acceptable if color is not available



Corporate Logo, on Orange

This reproduction should only occur when no other options are available. Promotional items such as pens, jackets and hats are examples of acceptable use in this color combination. White ink is acceptable, black ink is not acceptable




Corporate Signature, Standard, on Orange

This reproduction is acceptable, although not preferred



Corporate Signature, Standard, on White

This reproduction is not acceptable. Use black in this instance



Corporate Signature, Horizontal, on Orange

This reproduction is acceptable, although not preferred



Corporate Signature, Horizontal, on White

This reproduction is not acceptable. Use black in this instance



1.4 LOGO & SIGNATURE USE WITH BLACK & WHITE

Shown below are the basic forms reproduced when black & white are the only option. Use these when reproduction in color is not viable.

When one color reproduction is the only option, the Tagline can only be reproduced as white on black or black on white.


Corporate Logo, on White



Corporate Logo, Reverse



Corporate Signature, Standard, on White



Corporate Signature, Standard, Reverse



Corporate Signature, Horizontal, on White



Corporate Signature, Horizontal, Reverse




1.5 INCORRECT USE

A well-established and consistently presented trademark is a valuable asset.

In order to protect and strengthen the trademark status of CURT's Signature, the original approved versions must not be altered, modified, added to or changed in any way.

The examples on this page demonstrate many, but not all, of the incorrect variations to be avoided. Such misuses will undermine the value of the Signature's status as a trademark and affect continuity of corporate identity.


DO NOT condense the Signature




DO NOT expand the Signature



DO NOT rotate the Signature




DO NOT put a pattern behind or in front of the Signature




DO NOT change size relationships between Signature elements




DO NOT use unapproved colors in the Signature




DO NOT type the Tagline, use only the supplied art versions



DO NOT switch the colors of the Signature



DO NOT rotate individual elements of the Signature



1.6 SCALE SYSTEM & ISOLATION SPACE

A Scale System, based on 'URT', has been created to aid in graphical layout. The scale should always be used.


Use the different sized blocks to aid in layout. Spacing objects on the page relative to the size of the logo ensures a consistent brand message.

The Logo is most effective when surrounded by as much open space as possible. In an effort to maximize impact, a minimum Isolation Space of .375X should be used in all situations.

If the designer uses the files provided, they should not have to consider the minimum Isolation Space since it has been built into the file.

'X-File'

This file should be used for all spacing of design elements on the page or document



'X-File' Relative to the Logo

The height of X is equal to the height of the 'URT', not the Symbol



Minimum Isolation Space Illustrated, Corporate Signature, Standard, on White



Minimum Isolation Space Illustrated, Corporate Signature, Horizontal, on White



Note:

Neither the 'TM' of the Logo nor Tagline are not considered when planning for Isolation Space

1.7 LOGO LOCATION & PLACEMENT

The Signature must be placed on the top, left corner of the document. The Signature should be the first element the viewer sees. This helps emphasize and reinforce the brand.

Reminder: The Isolation Space must be maintained around the edges of the Signature at all times. Refer to page 1.6 for clarification.

Proper Placement, Illustrated

The Signature is placed in the top, left corner while maintaining the minimum Isolation Space



1.8 GRAPHIC RELATIONSHIPS

The proportions, space and size relationships of the Signature have been carefully developed for optimum performance.

These relationships are diagrammed in the illustrations below and must not be changed, redrawn or recreated.

Graphic Relationships, Illustrated





This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.