



TOWING ACCESSORIES

Tested. Proven. Safe.

CURT products are thoroughly tested and proven safe to give you confidence for the road ahead.

Our goal isn't just to offer a stronger hitch or a more dependable wiring harness. We want to give you the means to enjoy your lifestyle. That is why we continue to pursue excellence and innovation in our products, maintaining dedicated engineering teams and testing facilities.

Whether you're towing 30,000 pounds or packing up for a weekend getaway, CURT offers you the freedom to pursue your passion and the peace of mind to enjoy every mile of it.

Sold / Installed By

TOWING SECURITY

- Hitch locks and pins available to fit 1-1/4", 2", 2-1/2" and 3" receivers
- Coupler locks for virtually any 1/4" latch hole
- Convenient 1/4-turn activation on most locks

Hitch pins & locks



5th wheel locks



CLEVIS PINS

- Heavy-duty hitch pin for hitch accessories or towing with a UTV or lawn tractor
- Extra-wide, rubber-coated handle for better grip
- Welded steel construction with black powder-coated pin



TRAILER BALLS

- GTW capacities ranging from 2,000 up to 30,000 lbs.
- Diameters of 1-7/8", 2", 2-5/16" and 3"
- Available in chrome-plated steel, stainless steel and raw steel options



HITCH TUBE COVERS

- Protects 1-1/4", 2" or 2-1/2" receiver when not in use and adds a clean, finished look
- Available in friction-fit rubber, high-strength steel or rust-free plastic



HITCH ACCESSORIES

- Compatible with virtually any 2" front or rear receiver



Step pad provides easy under-the-hood access on your vehicle



Skid plate helps protect the front end of the vehicle and the hitch



Winch mount for convenient hitch attachment as needed



Spare tire mount with versatile 24" height to accept multiple tire sizes



99265-RB
03/27/2019



curtmfg.com





BALL MOUNTS

- 1-1/4", 2", 2-1/2" and 3" shank options
- GTW capacities ranging from 2,000 up to 21,000 lbs.
- Available with pre-torqued trailer ball

Class 1 & 2



Class 3



Class 4



Forged



MULTI-BALL MOUNTS

- Allows for quick switching between trailer ball sizes
- Permanently attached trailer balls cannot be loosened or stolen
- GTW capacities up to 10,000 lbs.



ADJUSTABLE CHANNEL MOUNTS

- Allow for precise trailer leveling
- Shank can be flipped to maximize rise or drop
- Built-in anti-rattle for quiet towing
- Pintle mounts include safety pin
- Includes pins & clips (lock set sold separately)



CHANNEL MOUNT HITCH STEP

- Attaches to any CURT adjustable channel mount
- Channel mount attachment allows for versatile height adjustment
- Folds up and out of the way when not in use



Provides a convenient 16" step on the front or rear of the vehicle



PINTLE HITCHES & LUNETTE EYES

- Pintle hooks and ball & pintle combination available
- Adjustable mounts and channels for precise trailer leveling
- GTW capacities up to 60,000 lbs.
- 2" and 2-1/2" shank options



Coupler shown attached to an adjustable pintle mount and pintle combo



Lunette eye shown attached to an adjustable pintle mount and hook

Pintle mounts



Pintle hooks and combos



Lunette eyes





This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.