



Trailer Hitches

What makes our hitches unique?


- CURT trailer hitches are uniquely engineered, tested and finished right here in the USA. With dedicated engineering teams, we manufacture over 1,000 different hitch models to provide a custom fit for your exact vehicle.
- So, whether you are towing 20,000 lbs. of industrial machinery or just taking the family out for a weekend camping trip, CURT offers more than just a hitch – we offer confidence to enjoy every mile of your adventure.



Made in the USA

All CURT custom hitches are made in the USA. This means each hitch is engineered, fabricated, welded, finished, tested and finally shipped out from our headquarters in Eau Claire, Wisconsin.

- Industry-leading first-to-market track record
- Real vehicles brought in for prototype designs
- Manual and robotic welding capabilities
- ISO / TS 16949 certification for quality manufacturing



Rigorous Safety Testing

At our Detroit testing facility, each hitch is rigorously tested in-house for safety to SAE J684. This ensures reliability in each hitch design.

- R&D facility immersed in the heart of the automotive industry
- Real-time, three-axis testing to simulate actual towing conditions
- Unique on-vehicle capabilities



Industry-Leading Finish

Every one of our hitches undergoes a co-curing process, being protected inside and out with an industry-leading, rust-resistant finish.

- Mechanical and chemical descaling for a smooth finish
- Submersed in A-coat to coat inside and out
- Covered in a durable black powder coat finish
- Heated to cure the two finishes together and create industry-leading protection



Five Custom Hitch Classes



1 1/4 INCH **Class 1 & 2** 1 1/4" x 1 1/4" Receiver Tube Opening

- GTW** Up to 3,500 lbs.
- TW** Up to 350 lbs.
- WD** Not applicable
- WD TW** Not applicable



2 INCH **Class 3 & 4** 2" x 2" Receiver Tube Opening

- GTW** 3,500 lbs. to 10,000 lbs.
- TW** 350 lbs. to 1,000 lbs.
- WD** Up to 12,000 lbs.
- WD TW** Up to 1,200 lbs.



2 INCH **Class 5 Xtra Duty** 2" x 2" Receiver Tube Opening

- GTW** 16,000 to 17,000 lbs.
- TW** 2,400 to 2,550 lbs.
- WD** Up to 17,000 lbs.
- WD TW** Up to 2,550 lbs.



2 1/2 INCH **Class 5 Commercial Duty** 2 1/2" x 2 1/2" Receiver Tube Opening

- GTW** 18,000 to 20,000 lbs.
- TW** Up to 2,700 lbs.
- WD** 18,000 to 20,000 lbs.
- WD TW** Up to 2,700 lbs.



Class 1

- GTW/TW: Up to 2,000/200 lbs.
- 1-1/4" receiver tube opening
- Applications: Subcompact cars to crossovers

Class 2

- GTW/TW: Up to 3,500/350 lbs.
- 1-1/4" receiver tube opening
- Applications: Sedans to light SUVs



Class 3

- GTW/TW: Up to 8,000/800 lbs.
- WD/WDTW: Up to 12,000/1,200 lbs.
- 2" receiver tube opening
- Applications: Full-size sedans to pickups

Class 4

- GTW/TW: Up to 10,000/1,000 lbs.
- WD/WDTW: Up to 12,000/1,200 lbs.
- 2" receiver tube opening
- Applications: Large SUVs and pickups



Class 5 Xtra Duty

- GTW/TW: Up to 17,000/2,550 lbs.
- WD/WDTW: Up to 17,000/2,550 lbs.
- 2" receiver tube opening
- Applications: Full-size pickups

Class 5 Commercial Duty

- GTW/TW: Up to 20,000/2,700 lbs.
- WD/WDTW: Up to 20,000/2,700 lbs.
- 2-1/2" receiver tube opening
- Applications: Full-size pickups



Trailer Hitch Kits

- Everything to outfit the vehicle for towing in one complete package
- Includes custom trailer hitch, wiring harness, ball mount, pin & clip
- Available for select vehicle applications



Multi-Fit Trailer Hitches

- Designed to fit a wide variety of vehicle applications
- Most require little or no drilling
- Great for retail settings
- GTW capacities from 3,500 up to 15,000 lbs.
- Available in class 2, 3 and 5
- 1-1/4" and 2" receiver tube size options



Did You Know?

13902 and 13903 together provide a comprehensive retail offering, covering most full-size truck applications.

Front Mount Hitches

- Vehicle-specific design for a custom fit
- 2" x 2" receiver tube opening
- Up to 5,000 lbs. GTW and 500 lbs. TW, 9,000 lbs. straight line pull
- Provides a convenient mount for a snowplow or hitch accessory
- Allows for easy maneuvering of a trailer into a tight spot





TRAILER HITCHES



Receiver Hitch Accessories



Step pad



License plate holder



Skid shield



Spare tire mount



Winch mount



Cargo carrier

RV Trailer Hitches

- Designed for towing a trailer or small vehicle behind an RV
- Built with a 3-piece, adjustable design
- Available to fit up to 72" wide frames
- Bumper hitches available to fit 2" x 4" or 4" x 4" bumper beams



Weld-On Trailer Hitches

- Adjustable frame fits a variety of vehicles (side plates do not come pre-welded)
- Great for use with service body trucks
- Rated up to 20,000 lbs. GTW
- Drop options up to 18" and widths up to 62"
- Protected by a durable carbide powder coat finish
- Raw steel, weld-on hitch box also available #49717





TRAILER HITCHES



Limited Lifetime Warranty

- CURT provides limited lifetime warranty coverage against defects in factory workmanship and materials for CURT products sold by authorized CURT dealers for use by retail (end use) consumers.
- https://storage.googleapis.com/curt-group-warranties/CURT_Warranty_2018.02.09.pdf

Product	Workmanship & Materials	Components & Parts	Finishings & Coatings
Hitches	Lifetime	One-year	One-year
Brake controls	Lifetime	One-year	One-year
Electrical and wiring	One-year	One-year	One-year
Other accessories	Lifetime	One-year	One-year



LIMITED LIFETIME WARRANTY

CURT MANUFACTURING, LLC ("CURT") provides limited lifetime warranty coverage against defects in factory workmanship and materials for CURT® products ("Products") sold by authorized CURT dealers for use by retail (end use) consumers. This Limited Warranty is provided only to the original Product consumer, and applies only to the original installation. This Limited Warranty is not transferable and does not extend or apply to anyone else. For consumers in the U.S.; this Limited Warranty gives you specific legal rights; you also may have other rights, which vary from state to state.

This Limited Warranty is the sole and exclusive warranty provided by CURT, and all other warranties and conditions are excluded and disclaimed. **UNDER THE LAW OF CERTAIN STATES, THERE MAY BE NO IMPLIED CONDITIONS OR WARRANTIES FROM CURT APPLICABLE TO YOUR PRODUCT, AND ALL IMPLIED CONDITIONS OR WARRANTIES (INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY LAW.** If implied warranties are imposed under any applicable state law, all such implied warranties are limited to the duration of the applicable provisions of this Limited Warranty. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

COVERED PRODUCTS AND LIMITATIONS

CURT provides the following Limited Warranty coverage:

Product	Workmanship & Materials	Components & Parts	Finishings & Coatings
Hitches	Lifetime	One-year	One-year
Brake controls	Lifetime	One-year	One-year
Electrical and wiring	One-year	One-year	One-year
Other accessories	Lifetime	One-year	One-year

Each of the warranty coverage periods runs from the date of purchase of the Product (proof of purchase is required) and applies only to warranted defects that first occur and are reported to CURT within the applicable warranty period. CURT retains the right to determine to its reasonable satisfaction whether any claimed defect is covered by this Limited Warranty.

Certain items are excluded from Limited Warranty coverage by CURT, and this **Limited Warranty coverage does not apply to:**

- Wear and tear from normal use, including damage from road debris
- Improper product selection, application, installation or maintenance

- Modifications, including the attachment of other hardware or components
- Misuse, abuse, overloading, improper trailering or hauling, accident
- Corrosion or damage due to environmental conditions

REMEDIES UNDER THIS LIMITED WARRANTY

If a defect covered by this warranty occurs, CURT will repair or replace the Product, or refund the purchase price, in its sole discretion. This "repair, replacement or refund" remedy is the **sole and exclusive remedy** under this Limited Warranty. CURT has **no responsibility or liability for any incidental or consequential damages**, such as loss of use of vehicles or trailers, towing charges, storage charges, tire damage, labor and service charges for removing or reinstalling products, loss of or damage to personal property, or interest or finance charges, all of which are specifically **excluded and disclaimed** from this Limited Warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

RESPONSIBILITY OF PURCHASER

The Purchaser must have proof of purchase to obtain service under this Limited Warranty. Contact CURT for a Returned Goods Authorization (RGA) and return instructions; CURT will not accept Products unless an RGA has been issued. The Purchaser must deliver the Product to CURT or an authorized CURT dealer along with the RGA number and proof of purchase.

The CURT Limited Warranty policy in effect on the date you purchased your Product determines the applicable warranty coverage, and subsequent or prior CURT warranties are not applicable to your Product. The terms of this Limited Warranty cannot be changed or modified, except by a written agreement signed by an officer of CURT. CURT reserves the right to improve its products through changes in design or materials without being obligated to the owners of the Products of the same or similar models.

Contact information:
CURT Headquarters
6208 Industrial Drive
Eau Claire, WI 54701
800.798.0813





This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.