



WEIGHT DISTRIBUTION

For more information, talk to a sales associate or go to curtmfg.com.

Tested. Proven. Safe.

CURT products are thoroughly tested and proven safe to give you confidence for the road ahead.

Our goal isn't just to produce a stronger hitch or a more dependable wiring harness. We want to give you the means to enjoy your lifestyle. That is why we continue to manufacture all of our custom hitches in the USA and why we maintain dedicated engineering teams and testing facilities.

Whether you're towing 30,000 pounds or packing up for a weekend getaway, CURT offers you the freedom to pursue your passion and the peace of mind to enjoy every mile of it.

Sold / Installed By

STANDARD WEIGHT DISTRIBUTION HITCHES



Trunnion bar hitches and kits

- Snap-up brackets and lift handle allow for easy leveraging of spring bars
- Weight capacities available up to 15,000 lbs.
- 2" shank can be flipped to provide drop or rise

Weight ratings are limited to vehicle manufacturer's stated capacities



Round bar hitches and kits

- Equipped with round, forged steel spring bars for reliable strength
- Weight capacities available up to 14,000 lbs.
- 2" shank can be flipped to provide drop or rise

WD replacement shanks

- Provides an adjustable mount for most CURT weight distribution hitches
- Some models can be flipped to provide necessary drop or rise
- 2-1/2" shank ideal for CURT class 5 Commercial Duty hitches

Sway control unit

- Helps limit lateral trailer movement to reduce trailer sway
- Features adjustment bolt to accommodate different load sizes
- Two sway controls units should be used for maximum control and stability



99274-RA
05/22/2018



curtmfg.com

6 12314 99274 4






Scan to see our
TruTrack™ feature video or
visit our YouTube channel



WHY USE A WEIGHT DISTRIBUTION HITCH

Level towing

A trailer puts a great deal of stress on the rear of your vehicle. This is called tongue weight. A weight distribution hitch spreads this tongue weight out evenly across your vehicle and trailer, allowing for more control and safer towing.



With weight distribution




Without weight distribution

Sway control

Trailer sway is the unsafe side-to-side motion of a trailer that can be caused by wind or a passing vehicle. To resist this motion, we offer the TruTrack™ WD system with integrated sway control or a sway control attachment option.



With sway control



Without sway control

TRUTRACK™ WEIGHT DISTRIBUTION SYSTEMS

The CURT TruTrack™ weight distribution system is one of the most advanced weight distribution hitches in the industry. It combines precise weight distribution with integrated sway control to deliver the smoothest, safest ride possible.

- Weight capacities ranging from 5K to 15K
- 12" adjustable shank fits 2" receiver tubes
- 2-1/2" replacement shank available
- Highly durable carbide powder coat finish
- **Limited lifetime warranty**

True integrated sway control



The spring & cam system and fixed support brackets offer true four-point sway control and weight distribution

Long-lasting construction



The hardened spring & cam components and cast head reduce wear and improve performance



17499




17501

Quiet operation



Each TruTrack™ hitch is equipped with grease zerk fittings for continuous lubrication and a quiet ride

Easy, versatile setup



The TruTrack™ has two neutral bar settings and adjustable castle nuts to accommodate different trailer sizes



This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.