

FACR14SA

14.5K Rooftop Unit for Furrion Chill™ Air Conditioner System

FACR14SA-BL-AM



FACR14SA-PS-AM



Main Features



ULTRA QUIET



HIGH COOLING
CAPACITY



HIGH ENERGY
EFFICIENCY



LIGHTWEIGHT



AERODYNAMIC
DESIGN



PROFILE



EASY INSTALL







UV RESISTANT



VIBRATIONSMART™



CLIMATESMART™



Specifications

Performance

Capacity	14,500 BTU
EER	2.13
Set Temperature Range	60°F to 86°F (16°C to 30°C)
Outdoor Sound Pressure Level	80dB
IP class	IP24
Refrigerant	R410A

Electrical

Volts/Frequency/Phase	115V/60Hz/1Ph
Power (Cooling)	1,620 Watts
Amps (Cooling)	14.6A

Features

Eco-friendly Refrigerant	✓
Rubber Damper	✓
Dual Fan Motors	✓
Thermo-insulated Heat	✓

Exchanger Enclosure

3 Fan Speeds (High/Med/Low)	✓
Overload Protection	✓

Dimensions and Weight

Drop Test Standard	6C
Product Dimension (W x H x D)	34 7/8 x 13 1/2 x 27 1/2" 884 x 345 x 700mm
Packaging Dimension (W x H x D)	39 1/8 x 18 1/8 x 30 1/8" (994 x 460 x 765mm)
Net Weight (lbs/kg)	82lbs/37kg
Gross Weight (lbs/kg)	97lbs/44kg



This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.