

FACR15SA

15.5K Rooftop Unit for Furrion Chill Air Conditioner System

FACR15SA-BL



FACR15SA-PS



Main Features



ULTRA QUIET



HIGH COOLING
CAPACITY



HIGH ENERGY
EFFICIENCY



LIGHTWEIGHT



AERODYNAMIC
DESIGN



PROFILE



UV RESISTANT




VIBRATIONSMART™



CLIMATESMART™

FURRION®



Specifications

Performance

Capacity	15,500 BTU
EER	2.19
Set Temperature Range	60°F to 86°F (16°C to 30°C)
Outdoor Sound Pressure Level	80dB
IP class	IP24
Refrigerant	R410A

Electrical

Volts/Frequency/Phase	115V/60Hz/1Ph
Power (Cooling)	1,720 Watts
Amps (Cooling)	15.4

Features

Eco-friendly Refrigerant	✓
Rubber Damper	✓
Dual Fan Motors	✓
Thermo-insulated Heat	✓

Exchanger Enclosure

3 Fan Speeds (High/Med/Low)	✓
Overload Protection	✓

Dimensions & Weight


Product Dimension (WxHxD)	27.56 x 13.62 x 34.81" (700.2 x 345 x 884.3mm)
Packaging Dimension (WxHxD)	35.69 x 28.44 x 15.5" (906 x 722 x 393mm)
Net Weight (lbs/kg)	81.6 / 37
Gross Weight (lbs/kg)	90.4 / 41

Container Load Information

20' Container Load (pcs)	120
40' Container Load (pcs)	252
40'HQ Container Load (pcs)	252

FACT11MA

Air Distribution Box with Manual Control for Furrion Chill Air Conditioner System



FACT11MA-PS



Main Features



TEMPERATURE
CONTROL



3 FAN
SPEEDS



2 WAY
AIR FLOW



DETACHABLE
FILTER




EASY
INSTALLATION




CAN BE USED FOR
DUCTED / NON-DUCTED

FURRION®

Air Distribution Box



Single/Multi Zone Controller



Specifications

Air Distribution Box

Mechanical Control	8 positions
Two Way Air Outlet	✓
Indoor Sound Pressure Level	60dB

Controller

Input Power	AC 115V
Frequency	60Hz
Compressor & Condenser Fan	AC 115V/20A
3 Evaporator Fan Motor Relay	AC 115V/5A
Temperature Range	64.4°F to 86°F (18°C to 30°C)

Container Load Information

Air Distribution Box

20' Container Load (pcs)	836
40' Container Load (pcs)	1,704
40'HQ Container Load (pcs)	1,955

Single/Multi Zone Controller

40'HQ Container Load (pcs)	37,240
----------------------------	--------

Dimensions & Weight

Air Distribution Box

Product Dimension (WxHxD)	19.69 x 13.62 x 19.69" (500 x 242.6 x 500mm)
Packaging Dimension (WxHxD)	20.44 x 20.5 x 5.38" (530 x 520 x 135mm)
Net Weight (lbs/kg)	6.7 / 3
Gross Weight (lbs/kg)	8.6 / 3.9

Single Zone Controller

Product Dimension (WxHxD)	12 x 3.13 x 2.75" (303.3 x 78.8 x 70mm)
Packaging Dimension (WxHxD)	25 x 12.44 x 13.44" (635 x 315 x 340mm)
Net Weight (lbs/kg)	30.9 / 14
Gross Weight (lbs/kg)	33.1 / 15

* Note: "V" = Equipped



This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.