




Model: FMS5L2A-BL / FMS5L2A-PS
FMS5L2-BL / FMS5L2-PS

IMPORTANT

For your safety, please read all instructions in this manual carefully before installation and use. Keep this instruction manual for future reference. This will ensure safe use and reduce the risk of injury. If you have any further questions regarding our products, please contact us at support@furrion.com

Thank you for purchasing a Furrion® automotive loudspeaker component system. We've organized this manual to make your installation as simple and trouble-free as possible. Please read it thoroughly before proceeding. Remember to keep your sales receipt and this manual in a safe place so both are available for future reference.

Installation

1. Select a suitable position that is not susceptible to moisture.
2. Mark and cut an opening in the wall according to the dimensions outlined in the illustration below. (Fig. A)




Fig. A

3. Connect the speaker LED wire to a 12V DC power supply and insulate the joints with twist caps. (Fig. B)




Fig. B

4. Twist the speaker LED wires and LED ring wires together and connect to a 12V DC power supply (**for FMS5L2A-BL/PS only**). (Fig. C)






Fig. C

5. Follow the + and - polarity symbols molded on the speaker to connect the speaker to the amplifier. (Fig. D)




6. Fit the speaker or speaker with LED ring in the hole and secure with 4 screws (not included). (Fig. E)

NOTE: Make sure the Furrion logo is facing up when installing.



Circuit Diagram



Care and Maintenance

The loudspeaker grilles may be cleaned with a damp cloth. Do not use any cleaner or solvents on the grilles or the speaker cones.

This product is designed for mobile applications and is not intended for connection to the mains.



The contents of this manual are proprietary and copyright protected by Lippert. Lippert prohibits the copying or dissemination of portions of this manual unless prior written consent for an authorized Lippert representation has been provided. Any unauthorized use shall void any applicable warranty. The information contained in this manual is subject to change without notice and at the sole discretion of Lippert. Revised editions are available for free download from lippert.com.

Please recycle all obsolete materials.

For all concerns or questions, please contact Lippert
Ph: 432-LIPPERT (432-547-7378) | Web: lippert.com |
E-mail: customerservice@lci1.com



This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.