


LEVELING AND STABILIZATION

Purpose

This document will illustrate the leveling harness for a hydraulic leveling system. Illustrations include both the standard (140524) and waterproof (679130) harness connections.

Male End to Controller

Pin #1: 16 AWG Red
Pin #2: Unused
Pin #3: 16 AWG WHT
Pin #4: Unused




140524 Standard Leveling Wire Harness	
Wire Color	Functionality
Red	12V Signal to Control Module
White	Park Brake

Interconnect Wire Harness

Male End to Pump Harness

Pin #1: 16 AWG White
Pin #2: Unused
Pin #3: Unused
Pin #4: Unused
Pin #5: 16 AWG Red
Pin #6: Unused



LEVELING AND STABILIZATION

Male End to Pump Harness



Pin #1: 18 AWG Red
Pin #2: Unused
Pin #3: 18 AWG White
Pin #4: Unused

679130 Waterproof Leveling Wire Harness	
Wire Color	Functionality
Red	12V Signal to Control Module
White	Park Brake

Interconnect Wire Harness

Male End to Control Module

Pin #1: 18 AWG White
Pin #2: Unused
Pin #3: Unused
Pin #4: Unused
Pin #5: 18 AWG Red
Pin #6: Unused



As a supplier of components to the RV industry, safety, education and customer satisfaction are our primary concerns. Should you have any questions, please do not hesitate to contact us at (574) 537-8900 or by email at customerservice@lci1.com. Self-help tips, technical documents, product videos and a training class schedule are available at lci1.com or by downloading the MyLCI app.



This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.