

ELECTRONICS


Introduction

This document provides instructions for using the OneControl® app, available for both Android and Apple devices, to connect to OneControl via Wireless (Wi-Fi).

Android Device Procedure

1. After installing the OneControl app (Fig. 1) from the Google Play store, open OneControl to begin.

Fig. 1



Google Play and the Google Play logo are trademarks of Google Inc. ©2017 Google LLC All rights reserved. Google and the Google logo are registered trademarks of Google LLC



ONEControl®


by



Lippert Components


2. Tap **I ACCEPT** (Fig. 2A) on the End User License Agreement (Eula) view.

Fig. 2




3. Tap **GET STARTED** (Fig. 3A) on the Welcome screen.

Fig. 3



4. Select **WI-FI** (Fig. 4A) when prompted.


Fig. 4



ELECTRONICS


- Find the network that matches the **SSID** (Fig. 5A) supplied on your OneControl Wireless System.

Fig. 5




- Enter the **PASSWORD** (Fig. 6A) included on your OneControl Wireless system.

Fig. 6



- After the OneControl has successfully connected to the unit, tap **Continue** (Fig. 7A) to finish the setup.

Fig. 7



- Type in a PIN number (Fig. 8) to prevent unintended access to the unit.


Fig. 8



ELECTRONICS

Apple iOS Device Procedure

1. Install the OneControl app from the Apple App Store. Connect the iOS device to OneControl Wireless before continuing. Connecting the iOS device to OneControl Wireless is the same as connecting to a home Wi-Fi.




Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries.




- A. Open **Settings** on the device.
 - B. Select Wi-Fi.
 - C. Under **Choose a Network**, find the Wi-Fi that matches the the **SSID** on the OneControl Wireless system.
 - D. Tap the correct network.
 - E. Enter the password included with the OneControl Wireless system.
 - F. After the network connects successfully, return to OneControl.
2. Open OneControl.
 3. Tap **I ACCEPT** (Fig. 9A) on the End User License Agreement (Eula) view.

Fig. 9



4. Tap **Get Started** on the Welcome screen (Fig. 10A).


Fig. 10



ELECTRONICS


5. Select **Wi-Fi** (Fig. 11A) when prompted.

Fig. 11



6. Type in a PIN number (Fig. 12) to prevent unintended access to the unit.

Fig. 12



The OneControl has successfully connected to the unit.



This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.