



STEPS

NOTE: Part numbers are shown for identification purposes only. Not all parts are available for individual sale. All parts with a link to the Lippert Store can be purchased.




Callout	Part #	Description
A	768054W18	SA Threshold Hinge Assembly, 18.25" Wide Treads, SSXF
	768054W22	SA Threshold Hinge Assembly, 22.25" Wide Treads, SSXF
	768054W26	SA Threshold Hinge Assembly, 26.25" Wide Treads, SSXF
B	768046W18	SA Threshold Weldment, 18.25" Wide Treads, FMR
	768046W22	SA Threshold Weldment, 22.25" Wide Treads, FMR
	768046W26	SA Threshold Weldment, 26.25" Wide Treads, FMR
C	784969W18-8	Hinge Leaf, 18.75" X 1.25" X .09" FMR-B, Poly-Textured, Black
	784969W22-8	Hinge Leaf, 22.75" X 1.25" X .09" FMR-B, Poly-Textured, Black
	784969W26-8	Hinge Leaf, 26.75" X 1.25" X .09" FMR-B, Poly-Textured, Black

STEPS




Callout	Part #	Description
D	784980275L8	XMSZ, 9.20" X .53" X .56" X 1.3" X.048", L25.97, LH, BK
	784980290L8	XMSZ, 9.67" X .53" X .56" X 1.3" X.048", L27.73, LH, BK
	784980375L8	XMSZ, 9.20" X .53" X .56" X 1.3" X.048", L37.88, LH, BK
	784980390L8	XMSZ, 9.67" X .53" X .56" X 1.3" X.048", L40.63, LH, BK
	784980480L8	XMSZ, 9.33" X .53" X .56" X 1.3" X.048", L51.01, LH, BK
	784980275R8	XMSZ, 9.20" X .53" X .56" X 1.3" X.048", L25.97, RH, BK
	784980290R8	XMSZ, 9.67" X .53" X .56" X 1.3" X.048", L27.73, RH, BK
	784980375R8	XMSZ, 9.20" X .53" X .56" X 1.3" X.048", L37.88, RH, BK
	784980390R8	XMSZ, 9.67" X .53" X .56" X 1.3" X.048", L40.63, RH, BK
	784980480R8	XMSZ, 9.33" X .53" X .56" X 1.3" X.048", L51.01, RH, BK
E	2020125701275L8	Angle, 1.63" X 9.14" X .048", L23.84 LH, Poly-textured, BK
	2020125701290L8	Angle, 1.63" X 9.61" X .048", L21.40 LH, Poly-textured, BK
	2020125701375L8	Angle, 1.63" X 9.14" X .048", L33.30 LH, Poly-textured, BK
	2020125701390L8	Angle, 1.63" X 9.61" X .048", L36.75 LH, Poly-textured, BK
	2020125701480L8	Angle, 1.63" X 9.27" X .048", L46.74 LH, Poly-textured, BK
	2020125701275R8	Angle, 1.63" X 9.14" X .048", L23.84 RH, Poly-textured, BK
	2020125701290R8	Angle, 1.63" X 9.61" X .048", L21.40 RH, Poly-textured, BK
	2020125701375R8	Angle, 1.63" X 9.14" X .048", L33.30 RH, Poly-textured, BK
	2020125701390R8	Angle, 1.63" X 9.61" X .048", L36.75 RH, Poly-textured, BK
	2020125701480R8	Angle, 1.63" X 9.27" X .048", L46.74 LH, Poly-textured, BK
F	788881W18-8	XMC, 18.47" X 1.25" X 1.25" X .75" X .05", L7.00, Poly-textured, BK
	788881W22-8	XMC, 20.47" X 1.25" X 1.25" X .75" X .05", L7.00, Poly-textured, BK
	788881W26-8	XMC, 22.47" X 1.25" X 1.25" X .75" X .05", L7.00, Poly-textured, BK

STEPS




Callout	Part #	Description
G	7887918	XMC 1.22 X 1.50 X 1.50 X .08 L3.00 Poly-textured, BK
H	270363133	Step Tread, 18.25" X 8.53" X 1.53", AL
	270363197	Step Tread, 22.25" X 8.53" X 1.53", AL
	270363261	Step Tread, 26.25" X 8.53" X 1.53", AL
I	432550133	Step Extrusion, 18.25" X 4.55 X 1.53", AL
	432550197	Step Extrusion, 22.25" X 4.55 X 1.53", AL
	432550261	Step Extrusion, 18.25" X 4.55 X 1.53", AL
J	784977W18-8	XMC, 4.50" X .53" X .53" X .06", L19.88.00, Poly-Textured
	784977W22-8	XMC, 4.50" X .53" X .53" X .06", L21.88.00, Poly-Textured
	784977W26-8	XMC, 4.50" X .53" X .53" X .06", L23.88.00, Poly-Textured
K	78497015	RD Stock, .25" X 4.38" X 1.75", Bent Type III SC2 Clear ZN Chromate

STEPS



Callout	Part #	Description
L	768053LHSP	SA Latch XMZ Assembly, LH Hand, with Spring Plunger, FMR
	768053RHNP	SA Latch XMZ Assembly, RH Hand, no Spring Plunger, FMR
M	768050R	SA Tube Receiver Weldment RH FMR
	768050L	SA Tube Receiver Weldment LH FMR
N	803467	Knob, 1/4" - 20 x 1/2" SST, 1-1/2, Black Plastic Rosette Head
O	675819	Vinyl Cap, .50 X 3.20
P	438641	Anti-Skid Tape, Straight Step; 18.00 X .5
	345674	Anti-Skid Tape, Straight Step; 22.25 X .5
Q	788786	Tube, 1.00 X 1.50 X .125 L22.75 ALUM
R	788787	Tube, 1.00 X 1.50 X .125 L17.00 ALUM

STEPS



Callout	Part #	Description
S	216951	Bolt, 1/4" - 20 x 1 1/2", HEX, GR5, ZN PTHD
T	120621	Bolt, 1/4" - 20 x 1" TAP ZN GR5 FTHD ST
U	375922	Bolt, 1/4" - 20 x 1/2", Hex Head (1203010)
V	118230	Screw, 1/4" - 14 x 3/4" Hex Washer Head Self-Drilling - TEKS
W	298315	Screw, 3/8" - 16 x 3/4" HWH ZN HEX 3L ST
X	376267	Flat Washer, 1/4" SAE (1209410)
Y	803466	Star Washer, 1/4" x .478 OD INTLKW ZN ST
Z	346891	Rivet, BOE BTNHD 3/16" - .126 x 1/4" AL NTRL AL NTRL HBK
AA	701090	Rivet Nut, BRB, 1/4" - 20 x .027-.165 ZN ST
AB	378325	Nut, Hex Jam, 1/4" - 20 Nylon Locking (2010000050)
AC	433786	Hole Plug, 9/16" DIA, .66 X .41
AD	803434	Pin Assembly, 5/16" x 2 3/16" SPG ASST
AE	784971	Spring, .319OD X .263ID X .028, WireX 1.250LG, Tapered End, SST



This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.