

BEDS


Purpose

This document outlines the procedures to repair small canvas tears on the Vela pop-up roof system.

Resources Required (Fig. 1)

- TEAR-AID Type A adhesive patch
- Scissors
- Canvas cleaner to clean surface of tear

Fig. 1



NOTE: Customers can follow this procedure to repair canvas tears up to 1 $\frac{3}{8}$ " (35 mm) in length. If the tear length is between 1 $\frac{3}{8}$ " (35 mm) and 11 $\frac{13}{16}$ " (300 mm), the tear can only be repaired in authorized service centers.

BEDS

Procedure


NOTE: It is recommended the patch be applied to the internal side of the canvas.

1. Make sure the canvas surface around the tear is clean and completely dry.
2. Use scissors to cut patch to correct size.

NOTE: For an optimum bond, the patch size should extend about $\frac{3}{4}$ " (20 mm) beyond all edges of the tear.

3. Trim square corners into rounded corners.
4. Carefully peel back less than $\frac{1}{2}$ " (10 mm) of the paper liner on the patch. Removing the paper liner while stretching the edges of the patch will help separate the liner from the patch.
5. Place edges of tear as close together as possible.
6. Expose less than half an inch (1 cm) of one edge of the tear and begin applying patch to that section to anchor the patch.
7. Slowly peel back paper liner while carefully applying the patch over the rest of the tear.
8. Rub all edges of the patch to seal it.
9. Aggressively rub entire patch to complete seal (Fig. 2).

Fig. 2





This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.