

AFTERMARKET

PRODUCT CATALOG



Above. Beyond. Always.





RV PRODUCTS

MOTORHOME & TOWABLES

[Above.
Beyond.
Always.]

C O N T E N T S

3-9 STEPABOVE® PRODUCTS

StepAbove
Strut Assist Step
Quick Connect Step
Airstream® Step
Flip Tread Step
Patio Step

10-13 STEPMATES

Safe-T-Rail
Latch Extender
Handrail
Storage Box
Motion Activated Lights
Removable Hinge Plate
Step Latch
Step Grab Handle

14-15 PIN BOX

Rubber Pin Box
Cord Keeper

16-17 SUSPENSION SYSTEMS

AllTrek Suspension
CRE Suspension
Independent Suspension
Heavy-Duty Shackles
X-Factor Crossmember

18 STABILIZERS

5th Wheel Stabilizer
Scissor Jack Stabilizer
Hitch Mount Stabilizer

19 POWER CORD REELS

Tall Reel
Economy Reel
Motorized Reel


20-21 SLIDING TRAYS

Cargo Trays
Freezer Tray
Utility Tray

22-26 TV MOUNTS

Base Mounts
Wall Mounts
Ceiling Mounts

27 CHAIR BUDDY



More Stable. More Secure. MORryde.

NEW FEATURES!



1 QUICK RELEASE HINGE:
Allows for easy removal in tight spaces or when the unit is in storage.

2 WIDE TOP STEP:
Larger top step for safe and secure footing.

3 GRADUAL STEP SLOPE:
Redesigned step slope allows for full-foot placement on each step as you enter and exit your RV.

4 SELF-CONTAINED STORAGE:
Stores securely inside the door for easy access.

5 QUICK RELEASE LEG ADJUSTMENT:
Auto-deploy legs adjust and retract with a push of a button.





STEPABOVE®

Upgrade your trailer or 5th wheel with our innovative StepAbove step system to give you bounce-free, wobble-free stability. With adjustable feet, rough terrain is no problem for your StepAbove. Easily store and lock your StepAbove into your door entrance.

FEATURES

- Lightweight
- Stable entry to and exit from your RV
- Wide top step
- Quick-release leg adjustment
- Gradual step slope for easier usage
- Easy removal in tight spaces



**INDUSTRY-LEADING 500lb
WEIGHT CAPACITY**



PATENT PENDING

STEPABOVE FIT CHART



BEFORE YOU ORDER A STEP

review the **StepAbove Qualification Guide** to determine the correct StepAbove for your unit.

Visit **MORryde.com** for details.

2 STEP

PART NUMBER	STEP HEIGHT	STEP RISE	DOOR WIDTH Size from Factory Label	—OR— DOOR WIDTH Size from Flange to Flange
STP-201	25" – 29.5"	9"	24"	21.75" – 22.25"
STP-202	25" – 29.5"	9"	26" – 28"	23.75" – 26.25"

3 STEP

STP-203	34" – 37"	9"	24"	21.75" – 22.25"
STP-204	30" – 33.5"	8"	24"	21.75" – 22.25"
STP-206	30" – 33.5"	8"	26" – 28"	23.75" – 26.25"
STP-207	34" – 37"	9"	26" – 28"	23.75" – 26.25"
STP-208	30" – 33.5"	8"	30" – 32"	27.75" – 30.25"
STP-209	34" – 37"	9"	30" – 32"	27.75" – 30.25"

4 STEP

STP-212	37.5" – 42"	8"	26" – 28"	23.75" – 26.25"
STP-213	37.5" – 42"	8"	30" – 32"	27.75" – 30.25"

STRUT ASSIST STEP

Easily operate your StepAbove step system for your travel trailer or 5th wheel with our innovative strut assist. The self-contained, ground-stable entry system provides sure footing when you enter or exit your RV.

FEATURES

- Gas struts create lightweight operation
- Easily lift and lower design
- Convenient storage
- Industry-leading 500 lb weight capacity



PATENTED



EASILY LIFT WITH ONE FINGER

STRUT ASSIST FIT CHART

	PART NUMBER	STEP HEIGHT	STEP RISE	DOOR WIDTH Size from Factory Label	—OR— DOOR WIDTH Size from Flange to Flange
3 STEP	STP-205	31.5" – 37"	9"	26"	23.75" – 24.25"
	STP-210	31.5" – 37"	9"	30"	27.75" – 28.25"
4 STEP	STP-211	37.5" – 42"	8"	26"	23.75" – 24.25"
	STP-214	37.5" – 42"	8"	30"	27.75" – 28.25"



BEFORE YOU ORDER A STEP review the

Strut Assist Qualification Guide to determine the correct StepAbove for your unit.

Visit MORryde.com for details.



QUICK CONNECT STEP


Add sure footing into and out of your motorhome with ground-stable, removable Quick Connect RV entry steps. Easily detach your step system with quick-release latches. Even on rough terrain, adjustable feet give you bounce-free, wobble-free stability.

FEATURES

- Lightweight, removable design
- Durable construction
- Quick-release paddle latches
- Adjustable feet
- Industry-leading 500 lb weight capacity



Adjustable feet



Quick-release latch

QUICK CONNECT FIT CHART

	PART NUMBER	STEP HEIGHT	STEP RISE
2 STEP	STP-221	21.5" – 27.5"	9"
3 STEP	STP-222	27.5" – 36"	8"
4 STEP	STP-223	35.5" – 44"	8"



BEFORE YOU ORDER
A STEP review the **Quick Connect Step Pre-Installation Instructions** to determine the correct Quick Connect Step for your unit.

Visit MORyde.com for details.



AIRSTREAM® STEP

Give yourself sure footing into and out of your Airstream® with a StepAbove RV step system. Our innovative 2-step design fits your threshold to give you bounce-free, wobble-free stability. Adjustable feet mean rough terrain is no problem for your StepAbove. The lightweight design opens easily and stores conveniently in your door entrance.

FEATURES

- Retro 2-step design for Airstream®
- Lightweight pull-down design
- Durable construction
- Stores securely inside doorway
- Adjustable feet
- Industry-leading 500 lb weight capacity



STP-216



BEFORE YOU ORDER
A STEP review the **Airstream® Qualification Guide** to determine if the step will work with your unit.

Visit MORryde.com for details.

FLIP TREAD STEP

These sleek steps offer the same stability as our standard StepAbove. To ensure your unit stays clean, the treads of this step easily flip up to remove dust and dirt before they fold up into your doorway. Flip Tread Steps are ideal for normal entry doors as well as floor plans with interior steps that protrude into the doorway.

FEATURES

- Lightweight pull-down design
- Durable construction
- Secure storage inside door entrance
- Adjustable feet
- Industry-leading 500 lb weight capacity
- Collapsible treads allow for easy cleaning



3 Step – STP-217
4 Step – STP-215

➔ Please note: Handrail not available for this model.

BEFORE YOU ORDER A FLIP TREAD STEP review the **qualifier** to determine the best model for your unit.

Visit MORryde.com for details.



PATIO STEP

MORryde's ground stable patio steps offer added stability and safety as you enter and exit your rear or side patio.

FEATURES

- Easily attach and detach
- Durable construction
- Secure storage inside door entrance
- Adjustable feet
- Industry-leading 500 lb weight capacity



Please call MORryde to determine the best step for your unit.



STEPMates

Navigating Your RV Steps Made Easy

Products designed to work with your steps
for added safety, storage and convenience.

SAFE-T-RAIL

Entering and exiting your RV is now easier and safer with MORryde's Safe-T-Rail.

FEATURES

- Residential-style safety for your RV
- Telescopic rail extends 42.5" from the RV wall
- Provides secure, continuous rail surface
- Easy and quick to install
- Magnetic lock securely holds rail in place during travel



BEFORE YOU ORDER A SAFE-T-RAIL review the **qualifier** to determine if it will work for your unit.



SCAN THE QR CODE to view the qualifier.



SP56-469

LATCH EXTENDER

Offers additional leverage and stability when getting into your RV.

FEATURES

- Great for kids and seniors
- Attaches to door lock
- Longer handle = greater gripping surface
- Easier to reach and open door without going up and down the stairs

BEFORE YOU ORDER THE LATCH EXTENDER review the **qualifier** to determine if it will work for your unit.



SCAN THE QR CODE to watch the qualifier video.



SP54-200

HANDRAIL

Get added stability with the StepAbove handrail. Available for three and four step models.

FEATURES

- Lightweight design
- Left-side attachment
- Folds into entrance doorway
- Durable construction
- Black powder coated finish
- Simple bolt-on installation



Designed for **1ST GENERATION STEPABOVE**

3 Step
STP214-029H

4 Step
STP214-006H

Designed for **2ND GENERATION STEPABOVE**

3 Step
STP214-121H

4 Step
STP214-120H

Please Note →

36" of clearance inside the doorway is needed for any handrail to be added to your RV.

If you are unsure about which StepAbove model you own, please call the parts department at 574-293-1581.

STORAGE BOX

A perfect storage solution that replaces the stock steps after a StepAbove is installed.

FEATURES

- Lockable door to secure your items
- 27 3/4" wide, 10" tall and 10.5" deep, approximately 1.5 cubic feet of space
- The box is made of durable steel with a lockable aluminum door
- Durable powder coated finish
- Fits most step mounts
- Simple bolt-on installation



SP54-099

LOCKABLE DOOR →



BEFORE YOU ORDER A STORAGE BOX review the **qualifier** to determine if the Storage Box will work for your unit.

Visit MORryde.com for details.



STEPMates

MOTION ACTIVATED STEP LIGHTS

Illuminate your path with bright LEDs that attach to the bottom of the StepAbove or Lippert™ Solid Step.


Two lights included per kit.

FEATURES

- Sleek, low profile design
- Conveniently illuminates your steps for a safer entry and exit
- Magnetic attachment for easy removal
- Daylight sensor extends life of batteries
- LED lights offer a bright path
- On/Off/Auto switch
- Up to 48 hours of consecutive use



STP54-032




Removable
Magnetic
Mounting Strip



Battery Box

REMOVABLE HINGE PLATE*

Convert standard StepAbove steps to a quick-release style and easily remove them when a unit is in storage or parked in tight spaces.



26" Door
STP54-030

30" & 32" Doors
STP54-031

Please Note





* The Removable Hinge Plate is designed for the first generation StepAbove units. The quick-release style comes standard on the 2nd Generation StepAbove units.

STEP LATCH

Add a lockable feature to the Strut Assist StepAbove with a Step Latch.

FEATURES

- Provides additional security while stored in doorway
- Easy-to-use pull latch mechanism
- Simple bolt-on installation



STP57-169LH

STEP GRAB HANDLE

Create extra stability when lowering the StepAbove by adding a Grab Handle.

FEATURES

- Provides additional ease when lowering
- Attaches underneath step tread
- Simple bolt-on installation



STP54-044




Leave rough towing behind with MORryde's revolutionary Pin Box System. Its advanced rubber shear spring works to absorb towing shock for more comfortable, stress-free travel.

FEATURES

- Jerk-free starts and stops
- 3" fore/aft travel and 1.5" side-to-side travel
- Maintenance-free
- Reduces back-and-forth chucking and jerking
- Cushioned sensation over uneven roads
- Uses 100% natural rubber shear springs




UNIQUE RUBBER
SHEAR SPRING
ABSORBS SHOCK



BETTER HANDLING & SMOOTHER TOWING


To make things even smoother for you, our RPB System is available for aftermarket installation and installs in an hour on most 5th wheels. For more details, contact our Parts Department at 574-293-1581.



Gooseneck/Andersen Hitch Reinforcement Adapter Kit*

Used with a MORryde Rubber Pin Box when connecting to a gooseneck adapter or Andersen hitch. One size fits all MORryde Rubber Pin Box models.

RPB77-006



Pull Rite Adapter Kit

Used with the Pull Rite SuperGlide hitch.



RPB77-001

* Gooseneck sold separately. Installation of a gooseneck adapter will void the Rubber Pin Box warranty.
Rubber Pin Box Fit Chart on page 15

RUBBER PIN BOX

RUBBER PIN BOX FIT CHART

Cross Reference Guide		Order according to GVWR of the trailer, not the GVW of the pin box.*				MORryde Pin Box Rating
MFG	MODEL#	11,500 or less	11,501 - 14,000	14,001 - 18,000	18,001 & over	
Lippert	1621, SHD-TA	N/A	N/A	RPB72-1621SHD-TA-05	RPB72-1621SHD-TA-06	24k
Lippert	1621HD	RPB72-1621HD-03	RPB72-1621HD-04	RPB72-1621HD-05	N/A	21k
Lippert	1621SHD	N/A	N/A	N/A	RPB72-1621SHD-06	23k
Lippert	1116	RPB72-1116-03	RPB72-1116-04	RPB72-1116-05	RPB72-1116-06	19k
Lippert	1716	RPB72-1716-03	RPB72-1716-04	RPB72-1716-05	N/A	18k
Lippert	Rhino	RPB77-FD-03	RPB77-FD-04	RPB77-FD-05	RPB77-FD-06	24k
Leland	7900	RPB72-7900-03	RPB72-7900-04	RPB72-7900-05	N/A	15k
Leland	7920, 7921	RPB72-221002300-03	RPB72-221002300-04	RPB72-221002300-05	N/A	19k
Dexter	221-0023-00	RPB72-221002300-03	RPB72-221002300-04	RPB72-221002300-05	RPB72-221002300-06	19k
Dexter	221-0031	RPB72-2210031-03	RPB72-2210031-04	RPB72-2210031-05	N/A	16k



To order a pin box system, please identify the following:

- Model Number of the stock pin box (usually found on a label on the pin box)
- GVWR* of the trailer: MORryde has a specific rubber spring for different weight ratings

OR

If the stock part number is *not* available:

- Determine the bolt pattern (A),
- Measure the width (B)
- Measure the distance from center of king pin to center of first row of bolts (C)
- Visit MORryde.com and search for the Rubber Pin Box identification guide to convert these measurements into a MORryde part number.



SP56-463

CORD KEEPER

Easily stores your 7-way power cord

FEATURES

- Great for travel trailers and 5th wheels
- Safe, secure cord storage
- Stores outside the Pin Box to discourage animals from building nests
- Helps prevent wire cuts and fraying
- Securely keeps cord off the ground
- Strong magnetic application



SUSPENSION SYSTEMS

Enjoy a smooth towing experience.



ALLTREK 4000


Designed to protect your trailer all the time, wherever you tow.

FEATURES

- Provides 4" of suspension travel
- Bolt-on, no crossmember required
- Over 40% more rubber for smoother, more comfortable towing
- Protects trailer from damaging road shock
- 3 year warranty
- The most rigorously-tested MORryde equalizer suspension to date



Use the **AllTrek 4000** qualification guide to determine compatibility.



Unique Travel Slot

	PART #	WHEEL BASE
TANDEM	TG2-33	33"
	TG2-35	35"
TRIPLE	TG3-33H	33"
	TG3-35H	35"

UP TO 8,000 GAWR



CRE3000

Designed for towing improvement over the standard stock equalizer.

FEATURES

- Provides 3" of suspension travel
- Smoother towing than conventional leaf springs
- Protects from damaging road shock
- Unique travel slot for increased wheel travel
- Easy bolt-on installation
- 2 year warranty
- Utilizes rubber to cushion shock




	PART #	WHEEL BASE	BEAM WIDTH
TANDEM	CRE2-33	33"	N/A
	CRE2-35	35"	N/A
TANDEM	CRE2-1000	42"	10"
	CRE2-1475	42"	14 3/4"
TRIPLE	CRE3-33	33"	N/A
	CRE3-35	35"	N/A

UP TO 8,000 GAWR

Use the **CRE3000** qualification guide to determine compatibility.



Unique Travel Slot



INDEPENDENT SUSPENSION

The luxury suspension system.

The independent design of this system allows each wheel to respond individually to the road. That means your unit glides easily over uneven and rough roads to give you the comfortable ride you deserve.

FEATURES

- Smooth towing experience
- Suspension travel up to 5-1/2"
- Rubber shear springs absorb road shock
- 5-year warranty



Call 574-293-1581 to make your install appointment.

 * The disc brakes shown in the photo are sold separately.



Join the I.S. Owners' Club!

Ask the service department for details.

X-FACTOR CROSSMEMBER

FEATURES

- Designed to greatly reduce frame stress
- Provides added lateral strength
- Uses high-strength low-alloy steel
- Adjustable to fit different frame widths
- No welding necessary
- Easy installation



HEAVY-DUTY SHACKLE

The Heavy-Duty Shackle Kit is an excellent upgrade for your running gear.

FEATURES

- Thicker shackles for added strength
- Bronze bushings for more durability
- Greasable bolts for improved maintenance
- Complete peace of mind
- Lock nuts to ensure security



Order kit according to your current suspension system:

Part Number
Standard
Frame Hanger

Part Number
OEM Correct
Track Hanger

MORryde LRE	tandem	LRE12-001	LRE12-016
	triple	LRE12-004	LRE12-017
MORryde SRE4000, CRE3000 and Stock with 2-1/4" shackles	tandem	UO12-016	UO12-029
	triple	UO12-023	UO12-030
Stock with 3-1/8" shackles	tandem	UO12-021	UO12-031
	triple	UO12-024	UO12-032

Part Number Description

RE21-004	Crossmember for MORryde LRE & RE suspensions
XF12-001	Crossmembers for standard frame hangers
XF12-002	Correct Track frame hanger adapter kit*
XF12-003	Drop-down adapter kit*

* Requires purchase of XF12-001.


Please Note 

- Only one crossmember per kit.
- The XF12-003 allows for 5" of clearance on the underbelly of the RV.



X-BRACE

X marks the spot when it comes to the simplest, most effective stabilizer on the market. MORryde's X-Brace stabilizers are a collaboration between MORryde and Winfield Products that install easily and provide enhanced lateral support. This means your trailer is stable, solid, and secure. Whether someone is walking inside the unit or you are experiencing strong winds, your trailer is rock solid because of the X-Brace design.



SCISSOR JACK STABILIZER

- > Provides exceptional stability
- > Stabilizer jacks lift vertically, with very little lateral stability
- > Installs onto existing stabilizer jacks & locks in stability
- > Uses a tensioning tool to tighten and adjust the X-Brace
- > Perfect for front & rear travel trailers with scissor jacks
- > Works on the rear 5th wheel scissor jacks
- > No drilling required

SP54-181

5TH WHEEL STABILIZER

- > Uses X-Brace design to provide exceptional stability
- > Installs in minutes unlike other products on the market
- > Unique turnbuckle design allows for easy adjustments
- > Helps distribute weight for a stable camping experience
- > No drilling required

SP54-180



HITCH MOUNT STABILIZER

- > For 5th wheels, Class C, Class A motorhomes and truck campers – just needs a 2" hitch receiver
- > Provides stability from excessive or unwanted movement
- > Unique design provides for simple installation
- > No drilling required

SP54-182



STABILIZERS

POWER CORD REELS

A simple way to store your power cord.



EASY REEL™ SPOOLERS

The Easy Reel™ delivers the simplest, smoothest, and most convenient way to effectively store your power cord.

FEATURES

- Store up to 50' of 50-amp cord
- Crank handle easily spools cord
- Left- or right-hand operation
- Rugged steel construction
- Space-saving design
- Designed for detachable power cords



Tall Reel

Stores up to 50' of 50-amp cord

DIMENSIONS:

7.6" w x 17.6" h x 21" d

REEL56-001H



Economy Reel

Stores up to 30' of 50-amp cord

DIMENSIONS:

14.3" w x 13.4" h x 12.8" d

REEL56-009H



Motorized Reel

FEATURES

- Motorized operation
- Store up to 30' of 50-amp cord
- Rugged steel construction
- Ceiling mount option to maximize storage
- Convenient in-line fuse
- Space-saving design for efficient cord storage
- Designed for detachable power cords

REEL56-014H

DIMENSIONS:

16" w x 13.4" h x 12.8" d

SLIDING TRAY SYSTEMS

Variety of storage solutions makes it easier to reach, organize, and stow your gear



CARGO TRAYS

- Fully assembled
- Carpeted flooring
- Ball-bearing slide
- No measuring or cutting
- 800 lb weight capacity
- Extends 60%
- 90" trays slide out from both sides
- Easy to install



	36" L	48" L	60" L	72" L	90" L
20" W	CTG60-2036W	CTG60-2048W	CTG60-2060W	CTG60-2072W	CTG60-2090W
26" W	CTG60-2636W	CTG60-2648W	CTG60-2660W	CTG60-2672W	CTG60-2690W
29" W	CTG60-2936W	CTG60-2948W	CTG60-2960W	CTG60-2972W	CTG60-2990W
33" W	CTG60-3336W	CTG60-3348W	CTG60-3360W	CTG60-3372W	CTG60-3390W
36" W	CTG60-3636W	CTG60-3648W	CTG60-3660W	CTG60-3672W	CTG60-3690W
39" W	CTG60-3936W	CTG60-3948W	CTG60-3960W	CTG60-3972W	CTG60-3990W
42" W	CTG60-4236W	CTG60-4248W	CTG60-4260W	CTG60-4272W	CTG60-4290W
48" W	CTG60-4836W	CTG60-4848W	CTG60-4860W	CTG60-4872W	CTG60-4890W
52" W	CTG60-5236W	CTG60-5248W	CTG60-5260W	CTG60-5272W	CTG60-5290W


CARGO TRAY RISER KIT

Raise your RV storage system with a cargo tray extender. This easy-to-install kit gives your sliding tray the extra height it needs to clear the lip of your basement compartment.

FEATURES

- Height adjustments (1.625", 2.5", 2.8", 3.125")
- 800 lb weight capacity
- Easy to install
- Works with all MORryde Cargo Trays
- Each kit includes 6 riser brackets

CTG54-001



RISER
BRACKET

72" CARGO SLIDES with 80% EXTENSION

Trays slide out from both sides of unit.

SIZE	PART#	WEIGHT CAP.
20"W X 72"L	CTG80-2072-2DW	500lb
26"W X 72"L	CTG80-2672-2DW	500lb
29"W X 72"L	CTG80-2972-2DW	500lb
33"W X 72"L	CTG80-3372-2DW	500lb
36"W X 72"L	CTG80-3672-2DW	500lb
39"W X 72"L	CTG80-3972-2DW	500lb
42"W X 72"L	CTG80-4272-2DW	500lb
48"W X 72"L	CTG80-4872-2DW	500lb
52"W X 72"L	CTG80-5272-2DW	500lb



UTILITY TRAYS

- Conveniently stores common RV generators
- Durable powder coat
- 100% extension
- Roller bearing slides
- No assembly required



	DIMENSIONS: (w x d x h)	WEIGHT CAPACITY
SP60-041	14" x 14" x 2.75" (inside) 16.25" x 15.75" x 5" (outside)	250 lb
SP60-042	14" x 21" x 2.75" (inside) 16.25" x 22.75" x 5" (outside)	250 lb
SP60-043	21" x 14" x 2.75" (inside) 23.25" x 15.75" x 5" (outside)	250 lb
SP60-044	24" x 24" x 2.75" (inside) 26.25" x 25.75" x 5" (outside)	300 lb
SP60-047	20.25" x 17.5" x 2.75" (inside) 22.75" x 19.25" x 3.25" (outside)	250 lb



FREEZER TRAYS

These 200% extension slides are great for your freezer, refrigerator, or any cargo that you would like to access past the unit's slide-out.

- 225 lb weight capacity
- Ready to install in minutes
- Durable powder coat



WIDE PULL



NARROW PULL

DIMENSIONS: (w x d x h)

SP56-115 37.6" x 21.6" x 5" (outside)
Wide Pull 31.42" x 19.7" x 2.5" (inside)

SP56-132 18" x 26.5" x 6" (outside)
Narrow Pull 14" x 24.8" x 2.5" (inside)

SP56-388 41.57" x 22.66" x 5" (outside)
Wide Pull 37.62" x 21.17" x 2.5" (inside)

Our steel TV Mounts are well-known for rugged quality and sleek functionality. Perfect for recreational vehicles, hospitality suites, and home patios.

TV MOUNTS

WALL MOUNTS



Swinging

This unique design offers a full range of viewing options. Double joint arm extends 18" and swings up to 180°. Locks in for safe travel.



- Tilt & Swivel Adjustment
- Tilts 0-10.5°
- TV Swivels up to 350°
- Up to 200 x 200 VESA

35lb

TV1-021H

DIMENSIONS:

11.25"w x 11"h x 3.28"d (closed)
or 18"d (open)

50lb

TV1-006H



- Up to 100 x 100 VESA

TV1-025H

25lb

DIMENSIONS:

10.5"w x 8.9"h x 3.45"d (closed)
or 18"d (open)



- Extends 7" farther than our other Swinging Wall Mounts
- Strap release
- 180° of swing
- Swivel and tilt
- Locks in for safe travel
- Up to 200 x 200 VESA

25lb


DIMENSIONS:

14.8"w x 10.5"h x 3.3"d (closed)
or 25"d (open)


TV1-087H

Drop Down

The Drop Down Wall Mount moves out from the wall and drops down for a better viewing angle. The ability to drop your TV mount down allows you to reduce the glare that is all too common.



- Low profile when closed
- Pulls straight out
- Swivels for a variety of viewing positions
- Locks in place for safe travel
- 100x100 and 200x200 VESA




WEIGHT CAPACITY:

12lbs (min) - 20lbs (max)

DIMENSIONS:

13.3"w x 17.6"h x 5.2"d
up position

13.3"w x 29"h x 8.5"d
down position



TV56-129H

Follow these steps to find out which TV Mount is best for your application.

STEP 1

VESA HOLE PATTERN OF TV OR MONITOR?

VESA patterns available with MORryde TV mounts:
75 x 75 • 100 x 100
200 x 200 • 300 x 300
400 x 400

STEP 2

WEIGHT OF THE TV OR MONITOR?

MORryde mounts are available in these weight capacities:



STEP 3

TV INSTALLATION LOCATION

Range of motion desired:

- SWIVEL left to right
- SLIDING in & out
- TILT up & down
- FLIP up or down

WALL MOUNTS

Snap-In

These unique TV mounts allow for easy removal and reattachment of a flat screen TV without the hassle of unscrewing the TV from the mount.



Extend & Swivel

- Up to 200 x 200 VESA



TV10-E-35H

DIMENSIONS:

10.5"w x 8.9"h x 5.3"d (min) / 15.3"d (max)



Swivel

- 200 x 200 VESA



TV10-S-35H

DIMENSIONS:

9.8"w x 8.5"h x 3.8"d



Rigid

- Up to 200 x 200 VESA



TV10-F-35H

DIMENSIONS:

9.8"w x 8.8"h x 2"d



Small Rigid

- Up to 100 x 100 VESA



TV1-051H

DIMENSIONS:

5.8"w x 5"h x 1.75"d



Large Rigid

- Up to 400 x 400 VESA



TV1-048H

DIMENSIONS:

18.5"w x 16.5"h x 1.1"d

BASE MOUNTS



Slide Out

Designed to swivel and slide out, this bracket is perfect for installation in a cabinet or corner.



- Slides out 7"
- Swivels
- Tilts 0 -10.5°
- Adjust for TV height
- Up to 200 x 200 VESA
- Locks in extended and retracted positions



DIMENSIONS:
6"w x 17"h (tall) or
12.5"h (short) x 15.8"d

TV40-001H
Tall — up to 55" TV
TV40-001H-S
Short— up to 32" TV

Base or Ceiling

This mount is excellent for under-cabinet installation or reinforced ceilings. It can also be mounted to a counter or desk for a great monitor mount.



- Swivel and tilt
- Up to 28" TV
- Up to 100 x 100 VESA
- Requires reinforced structure when used as a ceiling mount



DIMENSIONS:
6.5"w x 11.5"h or 4.5"d

TV1-012H

Rigid Adjustable

This low profile TV mount with adjustable mounting height is perfect for your new flat screen. Easy to install and the hardware is included.



- Adjust for TV height
- Up to 200 x 200 VESA
- Up to 40" TV
- Base plate faces toward the front



DIMENSIONS:
8.9"w x 12.4"h (min) or
17.6"h (max) x 6"d

TV1-003H

Rigid

This low-profile wall mount is ideal for your flat-screen TV or monitor in your RV. It comes fully assembled for easy installation.



- Low profile design saves space
- Up to 200 x 200 VESA
- Mounts on any vertical surface
- Easy install



DIMENSIONS:
8.85"w x 11"h x 1.14"d

TV1-002H

Swivel or Rigid

This mount is excellent for under the cabinet installation or reinforced ceilings. It can also be mounted to a counter or desk for a great monitor mount.



- Low profile
- Up to 200 x 200 VESA
- Single stud install
- Swivels $\pm 15^\circ$



TV1-001H — Swivel
TV1-002H — Rigid

DIMENSIONS:

8.75"w x 11.3"h x 4"d (swivel)
or 1.1"d (rigid)

Portable TV Mounts

Place multiple docking plates anywhere for entertainment where you want it. Up to 100 x 100 VESA and single stud installation. Each Portable TV Mount comes with two docking plates.



Swivel & Tilt



TV5-002H

DIMENSIONS:

5"w x 5.25"h x 2.5"d



Extension w/Swivel & Tilt



TV5-003H

DIMENSIONS:

5"w x 6.75"h x 9"d



Low Profile Rigid



TV5-004H

DIMENSIONS:

4.75"w x 4.25"h x 0.75"d



Rigid & Swivel Extension



TV5-005H

DIMENSIONS:

4.75"w x 6.5"h x 10.5"d

HORIZONTAL SLIDING MOUNTS




- 200 x 200 VESA
- Extends 22"
- Pivots 120°
- Space-saving



TV40-002H

DIMENSIONS:

24.25"w x 13"h x 6.5"d



- 200 x 200 VESA
- Extends 20.5"
- Pivots 180°
- Space saving



TV40-011H

DIMENSIONS:

20.75"w x 11.5"h x 4.6"d



Brackets extend an extra 3" to clear the cargo bay lip



TV40-002H



Horizontal Mounts Retracted

CEILING MOUNTS



Drop Down

The Drop Down Ceiling Mount saves space and allows you to keep your TV out of the way until it is needed. The friction pivot lowers the TV slowly and allows you to position it at many viewing angles. This mount is perfect for storing your TV in tight spaces.



- Swings down from ceiling
- Friction pivot allows for a variety of viewing angles
- Up to 24" TV
- VESA: 75 x 75, 100 x 100, 100 x 200, 200 x 200



DIMENSIONS:
8.6" w x 14.77" h x 5.58" d
(in down position)

TV1-080H

Flip Down

This mount is excellent for under-cabinet installation or reinforced ceilings. Flip down while viewing and flip up to store it out of the way.



- Swings up & out of the way
- Locks in for safe travel
- Swivel & tilt
- Up to 24" TV
- 100 x 100 VESA



DIMENSIONS:
6.5" w x 12.8" h x 8" d
(in down position)

TV56-010H

Slide-Out & Flip Down

This mount attaches to a horizontal surface or ceiling, most commonly inside a basement cargo bay. It can then slide out of the compartment, flip down, and swivel.





- Ideal for baggage compartments
- Slides out 17"
- Swivel & Tilt
- 200 x 200 VESA



DIMENSIONS:
8" w x 7.5" h x 21" d (min)
38" d (max)

TV40-010H

ADAPTER PLATES



VESA
200 x 400
300 x 300
400 x 400

Two Configurations Available

TV54-014H



VESA
100 x 200
200 x 200

TV54-009H



VESA
300 x 300
300 x 400
400 x 400

TV1-008H

Conveniently holds dinette chairs
in place without straps

THE CHAIR BUDDY™

Conveniently secure the dinette chairs in your RV with the Chair Buddy. No need for bulky, awkward straps. The Chair Buddy holds everything in place during travel and folds out of the way when you don't need it. Look for the "T" in the handle to ensure it is a genuine MORryde Chair Buddy.

FEATURES

- Effectively secures your chairs which helps protect from damage while traveling
- Clean, sturdy design
- Installs in minutes
- Easily folds out of the way
- No straps



Don't have a vertical column to attach your Chair Buddy?

No problem! Our Chair Buddy adapter allows you to attach your Chair Buddy to the underside of your tabletop.



Chair Buddy
CB56-001H

Chair Buddy Adapter
CB56-002H

ABOVE. BEYOND. ALWAYS.

**At MORryde, we have a passion
for building quality products.**

Today's RVers are wanting quality products that will help them enjoy their RV and the RV lifestyle even further. MORryde is committed to designing and producing quality products that meet and exceed their expectations. And it doesn't stop at the sale. We stand behind our products, believing in quality first, service always. No matter the issue, we'll be committed to doing MORE for our customers.



Above. Beyond. Always.

1966 Sterling Avenue • Elkhart, IN 46516
574-293-1581 • sales@MORryde.com
www.MORryde.com



We reserve the right to make changes or additions to the information and data provided, such as technical specifications, product numbers, price, design of products, without prior notice. 12/2022





This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.