

Smart Panels

SMART PANELS	
Fit Guide	74
Thule Sun Blocker G2 - Front Panel	75
Thule Sun Blocker G2 - Side Panel	76
Thule Rain Blocker G2 - Front Panel	77
Thule Rain Blocker G2 - Side Panel	80
 Thule Rain Blocker G2 Pack Minivan	82
Thule View Blocker G2 - Side Panel	83
Thule View Blocker - Front Panel	84
Thule Windscreen	85
Thule Rain Blocker G1 - Side Panel	86
Thule Luxury Blocker Bag	87

Smart Panels - Fit Guide

KEY INFORMATION

1

Select your vehicle type



Motorhome



Caravan



Van



Minivan

2

Select your awning type (check the label in the awning box)

Wall-mounted awning

- ☐ TO 5200
- ☐ TO 8000
- ☐ TO 4900
- ☐ TO 5102
- ☐ T 3200
- ☐ TO 2000
- ☐ TO 5003
- ☐ TO 5002
- ☐ Tristor
- ☐ TristorII
- ☐ V10XL

Roof-mounted awning

- ☐ TO 9200
- ☐ TO 6300
- ☐ TO 6200
- ☐ TO 6900

Rail-mounted awning

- ☐ TO 1200

3

Select your awning length (check the label in the awning box)

- ☐ 1.90 m
- ☐ 2.30 m
- ☐ 3.00 m
- ☐ 4.00 m
- ☐ 5.00 m
- ☐ 6.00 m
- ☐ 2.50 m
- ☐ 3.25 m
- ☐ 4.25 m
- ☐ 5.50 m
- ☐ 2.60 m
- ☐ 3.50 m
- ☐ 4.50 m
- ☐ 2.70 m
- ☐ 3.75 m

4

Select your awning projection

- ☐ 2.00 m
- ☐ 2.50 m
- ☐ 2.75 m
- ☐ 3.00 m

5

Measure your mounting height

Mounting height (A) = distance between bottom of awning cassette and ground

Thule Sun Blocker G2 - Front


Sun protection

INFO

- Height (A) 1.70 m
- Length (B) 1.00 m - 4.80 m
- Colours Black, grey (transparent screen)
- Available for Thule Omnistor awnings:
 - 5200, 8000, 4900, 5102, 3200, 2000, 9200, 6300, 6200, 1200, 5003
 - 5002, 6900, Tristor, TristorII, V10XL

A = Approximate height of the panel

B = Approximate length of the panel



FEATURES

- Lets the breeze in while keeping the sun out, without loss of view
- Easy and quick installation:
 - the front panel is suitable for all Thule Omnistor awnings
 - the panel easily slides into the awning's lead rail
 - all front panels can be rolled up and are fixed with a side release buckle
- Modular system:
 - combination of a panel with the Thule QuickFit tent is possible (only in case the tent is smaller than the awning and if there is some space in the awning's lead rail to slide the panel in)
- Fabric material:
 - micro-aired screen fabric, a transparent and light screen fabric
- Content:
 - 1 front panel
 - ground fixation: pegs and ropes



User
instruction

MODULARITY




AWNING TYPE	LENGTH (B)	MIN. AWNING LENGTH	HEIGHT (A)	WEIGHT (bruto)	SKU NO
All Thule Omnistor awnings	1.00 m	-	1.70 m	1.3 kg	307284
	2.40 m	2.60 m		2.1 kg	307285
	2.80 m	3.00 m		2.4 kg	307286
	3.30 m	3.50 m		2.7 kg	307287
	3.80 m	4.00 m		3 kg	307288
	4.30 m	4.50 m		3.3 kg	307289
	4.80 m	5.00m		3.6 kg	307290

Thule Sun Blocker G2 - Side

Sun protection

INFO

- Mounting height (A) 1.90 m - 2.64 m
- Projection (B) 2.00 m, 2.50 m, 2.75 m, 3.00 m
- Colours Black, grey (transparent screen)
- Available for Thule Omnistor awnings:
 - 5200, 8000, 4900, 5102, 3200, 9200, 6300, 6200, 1200*, 5003
 - 5002, 6900, Tristor, TristorII, V10XL by adding **spare parts**
- *Special model for Thule Omnistor 1200
- Not compatible with Master Movano adapter (ref. 308059)



A = Distance between bottom of awning's cassette and ground
 B = Approximate length of the awning when opened
 H = Awning incline

FEATURES

- Lets the breeze in while keeping the sun out, without loss of view
- Easy and quick installation:
 - the side panel slides into an aluminium rafter with channel, installed between the awning's cassette and lead rail
- Modular system:
 - combination of a panel with the Thule QuickFit tent possible (only in case of same mounting height)
 - side panel can be installed on both sides of the awning with the same rafter
- Durable material:
 - aluminium rafter
 - micro-aired screen fabric, a transparent and light screen fabric
- Content:
 - 1 side panel
 - 1 aluminium rafter with channel
 - connection pieces for Thule Omnistor awnings for both sides of the awning
 - ground fixation: pegs and ropes



User instruction

MODULARITY



AWNING TYPE	PROJECTION (B)	MOUNTING HEIGHT (A)		H	WEIGHT	SKU NO
TO 5200 • 4900 • 5102 • 6300 • 6200 • 5003 • 5002	2.00 m	1.90 m - 2.24 m	Small	21 cm	2.7 kg	307399
T 3200	2.50 m	1.90 m - 2.24 m	Small	21 cm	3.5 kg	301338
TO 5200 • 4900 • 6300 • 6200 • 5003 • 5002		2.25 m - 2.44 m	Medium	23 cm	3.6 kg	307278
		2.45 m - 2.64 m	Large	43 cm	3.6 kg	307279
		2.25 m - 2.49 m	TO 1200	48 cm	3.8 kg	307398
TO 8000 • 6900	2.75 m	2.25 m - 2.44 m	Medium	23 cm	4 kg	307280
		2.45 m - 2.64 m	Large	43 cm	4 kg	307281
TO 9200	3.00 m	2.25 m - 2.44 m	Medium	23 cm	4.4 kg	307282
		2.45 m - 2.64 m	Large	43 cm	4.4 kg	307283

New

Thule Rain Blocker G2 - Front

Rain and wind protection

INFO


- Height (A) 1.85 m, 2.10 m, 2.30 m
- Length (B) 1.02 m - 2.00 m
- Colours Black, white, grey
- Available for Thule Omnistor awnings:
 - 5200, 8000, 4900, 5102, 3200, 2000, 9200, 6300, 6200, 1200, 5003
 - 5002, 6900, Tristor, TristorII, V10XL



A = Approximate height of the panel
 B = Approximate length of the panel

FEATURES

- Protects against rain and wind while keeping the incidence of light thanks to the large window
- Easy and quick installation:
 - the front panel slides into the awning's lead rail
 - all panels can be rolled up and are fixed with a side release buckle
- Modular system:
 - various possibilities to combine the different panels thanks to smart connections
- Fabric material:
 - top-quality PVC fabric with welded connections of the fabric
- Content:
 - 1 front panel
 - smart connections to connect with other Thule Rain Blocker G2 Front Panels
 - ground fixation: pegs and pins




MODULARITY



User
instruction

AWNING TYPE	PANEL TYPE	LENGTH (B)	HEIGHT (A)	WEIGHT (bruto)	SKU NO
Combine with side panel: Minivan					
T 3200	J	1.12 m	1.85 m	1.9 kg	301354
T 3200 • 5200 • 4900 • 5102	A	1.27 m		2 kg	306454
T 3200	K	1.47 m		2.2 kg	301355
T 3200	L	1.81 m		2.5 kg	301356
Combine with side panels: Small and TO 1200 V2					
All Thule Omnistor awnings	B	1.27 m	2.10 m	2.2 kg	301320
	C	1.47 m		2.4 kg	301321
	D	1.67 m		2.6 kg	301322
	E	1.92 m		3 kg	301323
Combine with side panels: Medium, Large, X-Large, XX-Large, Van and Caravan					
All Thule Omnistor awnings	F	1.02 m	2.30 m	2 kg	307303
	G	1.52 m		2.4 kg	307304
	H	1.72 m		2.6 kg	307305
	I	2.00 m		3 kg	307306

PANEL TYPE



FRONT COMBINATION


- Full front combination possible
- Connection pieces to the next front panel included
- Thule advises the following combinations for full awning length

COMPATIBLE SIDE PANEL	AWNING LENGTH (L)	FRONT COMBINATION
MINIVAN	2.50 m	J + A
	2.60 m	A + A
	2.70 m	J + K
	3.00 m	J + L
S TO 1200 V2	2.60 m	B + B
	2.80 m	B + C
	3.00 m	B + D
	3.25 m	B + E
	3.50 m	C + E
	3.75 m	D + E
	4.00 m	E + E
	4.25 m	B + C + C
	4.50 m	C + C + C
	5.00 m	D + D + D
	5.50 m	D + E + E
M L XL XXL VAN CARAVAN	3.00 m	F + F + F
	3.25 m	G + H
	3.50 m	F + G + F
	3.75 m	H + I
	4.00 m	F + I + F
	4.25 m	F + G + H
	4.50 m	F + I + G
	5.00 m	G + I + G
	5.50 m	I + G + I
	6.00 m	I + I + I

PANEL SETS

New

AWNING TYPE	AWNING LENGTH (L)	PANEL TYPE	SKU NO
T 3200	2.50 m	J + A	301360
TO 4900 • 5102	2.60 m	A + A	301361
T 3200	2.70 m	J + K	301362
T 3200 • 4900	3.00 m	J + L	301363




Thule Rain Blocker G2 - Side

Rain and wind protection

INFO

- Mounting height (A) 1.80 m - 3.04 m
- Projection (B) 2.00 m, 2.50 m, 2.75 m, 3.00 m
- Colours Black, white, grey
- Available for Thule Omnistor awnings:
 - 5200, 8000, 4900, 5102, 3200, 9200, 6300, 6200, 1200, 5003
 - 5002, 6900, Tristor, TristorII, V10XL by adding **spare parts**
 - Special model for TO 1200, Ducato H2: can be combined with a Thule Rain Blocker G2 Front Panel
 - Not compatible with Master Movano adapter (ref. 308059)



A = Distance between bottom of awning's cassette and ground
B = Approximate length of the awning when opened
H = Awning incline

FEATURES

- Protects against wind and rain while keeping the incidence of light thanks to the large window
- Easy and quick installation:
 - the side panel slides into an aluminium rafter with channel, installed between the awning's cassette and lead rail
 - can easily be attached to the support leg of the awning or to another Thule Rain Blocker G2 panel thanks to the smart connections
- Modular system:
 - various possibilities to combine the different panels
 - side panels can be installed on both sides of the awning with the same rafter
- Durable materials:
 - aluminium rafter
 - top-quality PVC fabric with welded connections of the fabric
- Content:
 - 1 side panel
 - 1 aluminium rafter with channel
 - connection pieces for Thule Omnistor awnings for both sides of the awning
 - smart connections to connect the panel with the awning support leg
 - ground fixation: pegs and pins



Instruction
manual



Minivan

- VW California T5/T6 > 2003
- PSA Minivan > 2016



Van

- Fiat Ducato > 2006
- Peugeot Boxer > 2006
- Citroën Jumper > 2006
- VW Crafter > 2017

INSTALLATION



MODULARITY



AWNING TYPE	PROJECTION (B)	MOUNTING HEIGHT (A)		H	WEIGHT	SKU NO
TO 5200 • 4900 • 5102	2.00 m	1.80 m - 1.99 m	Minivan	21 cm	4 kg	306515
TO 5200 • 4900 • 6300 • 6200 • 5003 • 5002		2.05 m - 2.24 m	Small*	23 cm	4 kg	307400
T 3200	2.50 m	1.80 m - 1.99 m	Minivan	27 cm	4.5 kg	301339
TO 5200 • 4900 • 6300 • 6200 • 5003 • 5002		2.05 m - 2.24 m	Small*	23 cm	4.8 kg	307291
		2.25 m - 2.44 m	Medium	23 cm	5 kg	307292
		2.45 m - 2.64 m	Large	43 cm	5 kg	307293
		2.65 m - 2.84 m	X-Large	63 cm	5 kg	307294
TO 1200		2.35 m - 2.54 m	TO 1200 V2*	50 cm	4.8 kg	301422
TO 6300 • 6200		2.30 m - 2.50 m	Van	37 cm	5 kg	307302
TO 6300 • 6200		2.35 m - 2.54 m	Caravan	33 cm	5 kg	301332
TO 8000 • 6900	2.75 m	2.25 m - 2.44 m	Medium	23 cm	5.6 kg	307295
		2.45 m - 2.64 m	Large	43 cm	5.6 kg	307296
		2.65 m - 2.84 m	X-Large	63 cm	5.6 kg	307297
		2.85 m - 3.04 m	XX-Large	83 cm	5.8 kg	306516
TO 9200	3.00 m	2.25 m - 2.44 m	Medium	23 cm	5.8 kg	307298
		2.45 m - 2.64 m	Large	43 cm	5.8 kg	307299
		2.65 m - 2.84 m	X-Large	63 cm	6 kg	307300
		2.85 m - 3.04 m	XX-Large	83 cm	6 kg	306517

*Not possible to use in combination with a Thule QuickFit | EasyLink awning tent




Thule Rain Blocker G2 Pack Minivan

Complete set of rain blocker panels for minivans

INFO

- Mounting height (A) 1.80 m - 1.99 m
- Projection (B) 2.00 m
- Colours Black, white, grey
- Available for Thule Omnistor awnings:
 - 5102 (2.60 m)
 - 4900 (2.60 m)

A = distance between bottom of awning's cassette and ground
B = approximate length of the awning when opened
H = awning incline



FEATURES

- Set of 2 side panels and 2 front panels (1.27 m) for Thule Omnistor 5102 and Thule Omnistor 4900 awning length 2.60 m, mounted on minivans
- Protects against wind and rain while keeping the incidence of light thanks to the large window
- Easy and quick installation:
 - the side panel slides into an aluminium rafter with channel, installed between the awning's cassette and lead rail
 - can be easily attached to the support leg of the awning or to another Thule Rain Blocker G2 panel thanks to the smart connections
- Durable materials:
 - aluminium rafter
 - top-quality PVC fabric with welded connections of the fabric
- A luxurious blocker bag is included to store your tension rafters, panels and fixation material
- Content:
 - 2 side panels
 - 2 aluminium rafters with channel
 - 2 front panels (1.27 m - type A)
 - connection pieces for Thule Omnistor awnings for both sides of the awning
 - smart connections to connect the panel with the awning support leg and front panels
 - ground fixation: pegs and pins
 - luxury blocker bag

SUITABLE MINIVANS

- Volkswagen T5/T6 (California, ...)
- Ford Custom
- Ford Custom Nugget
- Peugeot Traveller, Citroën Spacetourer (Campster), Toyota Proace
- Renault Trafic
- Mercedes Benz V-Klasse Marco Polo
- PSA minivan > 2016

Thule Rain Blocker G2 Pack Minivan						
AWNING TYPE	PROJECTION (B)	MOUNTING HEIGHT (A)		H	WEIGHT	SKU NO
TO 5102 • 4900 (2.60 m)	2.00 m	1.80 m - 1.99 m	Minivan	21 cm	12 kg	301329

Thule View Blocker G2 - Side

Rain, wind and sun protection

INFO

- Mounting height (A) 2.25 m - 2.64 m
- Projection (B) 2.50 m
- Colours Black, white, grey
- Available for Thule Omnistor awnings:
 - 5200, 4900, 6300, 6200, 5003

A = distance between bottom of awning's cassette and ground
 B = approximate length of the awning when opened
 H = awning incline



FEATURES

- Protects against rain, wind and sun whilst creating complete privacy
- Easy and quick installation:
 - the side panel slides into an aluminium rafter with channel, installed between the awning's cassette and lead rail
 - can easily be attached to the support leg of the awning or to other Thule Rain Blocker G2 panels thanks to the smart connections
- Modular system:
 - various possibilities to combine with Thule Rain Blocker G2 front panels
 - combination of a panel with the Thule QuickFit tent possible (only in case of same mounting height)
 - side panel can be installed on both sides of the awning with the same rafter
- Durable material:
 - aluminium rafter
 - top-quality non-transparent PVC fabric with welded connections of the fabric
- Content:
 - 1 side panel
 - 1 aluminium rafter with channel
 - connection pieces for Thule Omnistor awnings for both sides of the awning
 - smart connections to connect the panel with the awning support leg
 - ground fixation: pegs and pins

AWNNG TYPE	PROJECTION (B)	MOUNTING HEIGHT (A)		H	WEIGHT	SKU NO
TO 5200 • 4900 • 6300 • 6200 • 5003 • 5002	2.50 m	2.25 m - 2.44 m	Medium	23 cm	5 kg	308380
		2.45 m - 2.64 m	Large	43 cm	5 kg	308381

Thule View Blocker - Front

Creates shade and protects against rain

INFO

- Height (A) 1.40 m
- Length (B) 2.40 m, 2.80 m, 3.30 m, 3.80 m, 4.30 m, 4.80 m
- Colours Grey (non-transparent)
- Available for Thule Omnistor awnings:
 - 8000, 5200, 5003, 4900, 9200, 6300, 6200, 1200, 2000, 5102
 - 5002, 6900, Tristor, TristorII, V10XL

A = approximate height of the panel
B = approximate length of te panel



FEATURES

- Offers protection against rain, wind and sun and easily creates privacy as well
- Easy and quick installation:
 - the front panel slides into the awning's lead rail
 - all panels can be rolled up and are fixed with straps
- Durable material:
 - micro-aired screen fabric
- Content:
 - 1 front panel
 - ground fixation: pegs and ropes

AWNING TYPE	LENGTH (B)	HEIGHT (A)	WEIGHT (bruto)	SKU NO
All Thule Omnistor Awnings	2.40 m	1.40 m	2.5 kg	307588
	2.80 m		2.8 kg	307592
	3.30 m		3.2 kg	307594
	3.80 m		3.4 kg	307596
	4.30 m		3.8 kg	307598
	4.80 m		4 kg	307600

Thule Windscreen

Wind protection

INFO

- Height 1.55 m
- Fabric height 1.38 m
- Length Up to 3.00 m extension
- Weight 4.50 kg
- Colour Grey (transparent screen)

FEATURES

- Protection against wind as well as an easy way to create privacy
- Micro-aired to avoid the wind from pushing too much the fabric
- Quick & easy to install thanks to its automatic roll in/out system
- Can be fixed to the vehicle via wall fixation or into the caravan rail via the rope fixation
- Unroll it and connect it to the awning support leg or make it free standing using the delivered strap kit
- Storage bag included
- Content:
 - windscreen
 - rope fixation (caravan)
 - 2x wall fixation (motorhome)
 - adapter
 - guy-ropes
 - 4 pegs
 - storage bag



Instruction
manual



306456

Thule Windscreen

- Rope fixation (caravan)



- Wall fixation



- Storage bag




Thule Rain Blocker G1 - Side

Rain protection

INFO

- Mounting height (A) 2.15 m - 2.49 m: TO Caravan + Caravan Style
2.15 m - 2.49 m: TO Caravan
1.86 m - 2.11 m: TO 2000
- Projection (B) 2.00 m, 2.30 m
- Colours White, grey
- Only available for Thule Omnistor awnings:
 - Caravan, Caravan Style: lengths from 2.60 m up to 4.50 m
 - Caravan: length 2.60 m
 - 2000: length 2.60 m on a VW T4



A = distance between bottom of awning's cassette and ground
B = approximate length of the awning when opened

FEATURES

- Offers protection against rain and wind and easily creates privacy as well
- Easy and quick installation:
 - the side panel slides onto a steel coated rafter, mounted between the awning's cassette and lead rail
- Content:
 - 1 side panel
 - coated steel rafter with spring
 - connection pieces to the Thule Omnistor awning
 - ground fixation: pegs and pins

AWNING TYPE	LENGTH	PROJECTION (B)	MOUNTING HEIGHT (A)	WEIGHT (bruto)	SKU NO
TO Caravan • Caravan Style	2.60 m - 4.50 m	2.30 m	2.15 m - 2.49 m	4.5 kg	308869
TO Caravan	2.60 m	2.00 m	2.15 m - 2.49 m	4 kg	308870
TO 2000	2.60 m	2.00 m	1.86 m - 2.11 m	3.6 kg	308871

Thule Luxury Blocker Bag

INFO

- Luxurious bag to store the tension rafter, panel and fixation material
- Colour: black
- Dimensions: 130 L x 20 cm W x 20 cm H



Smart Panels

301568	Thule Luxury Blocker Bag
--------	--------------------------

This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing or drawing. There are no margins, text, or other markings on the paper.



This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.