

LIPPERT ADDING ADDITIONAL SUPPORT FASTENER TO THULE® AWNINGS ON THOR TRANQUILITY & SANCTUARY

TSB Number:	01-002-21		
Product:	Thule® Awnings on Thor Tranquility & Sanctuary		
Date:	April 26, 2021	Labor Rate:	0.5 hours

Purpose

This document outlines how and where to add additional support fasteners for Thule® Awnings on Thor Tranquility and Sanctuary.

Safety

This document provides general instructions. Many variables can change the circumstances of any procedure, i.e. the degree of difficulty involved in the service operation and the ability level of the individual performing the operation. This document cannot begin to plot out procedures for every possibility, but will provide the general instructions for effectively installing, removing or servicing the system. In the event the skill level required is too advanced or the procedure too difficult, a certified technician should be consulted before performing the necessary operation. Failure to correctly install, remove or service the system may result in voiding the warranty, inflicting injury or even death.


Resources Required

- Ladder
- $\frac{1}{4}$ " x $1 \frac{1}{4}$ " Self-tapping screws
- Cordless or electric drill or screw gun
- Appropriate drive bits

Procedure

1. Extend the awning to approximately 3 feet (Fig. 1).

Fig. 1



LIPPERT ADDING ADDITIONAL SUPPORT FASTENER TO THULE®
AWNINGS ON THOR TRANQUILITY & SANCTUARY

TSB Number:	01-002-21		
Product:	Thule® Awnings on Thor Tranquility & Sanctuary		
Date:	April 26, 2021	Labor Rate:	0.5 hours

2. At the back part of the awning assembly, on the roof, locate the bracket attaching the awning to the roof of the unit (Fig. 2).
3. Install two of the self-tapping fasteners into the back end of the bracket (Fig. 2). Ensure the fastener is driven all the way through the bracket and into the roof of the unit. Tighten the fastener until firmly secure.
4. Apply a generous amount of sealant over the fasteners and back half of the bracket (Fig. 3).

Fig. 2






Fig. 3



ADDING ADDITIONAL SUPPORT FASTENER TO THULE® AWNINGS ON THOR TRANQUILITY & SANCTUARY

TSB Number:	01-002-21		
Product:	Thule® Awnings on Thor Tranquility & Sanctuary		
Date:	April 26, 2021	Labor Rate:	0.5 hours

5. Directly beneath the fabric roll of the awning, locate the remaining two brackets, one in the middle of the awning and one toward the front of the awning (Fig. 4). Install the ¼" x 1 ¼" self-tapping screw through the black steel bracket, the awning case, and the silver aluminum bracket (Fig. 4).
6. Tighten the fastener until firmly secure.



NOTE: The aluminum angle shown in Figure 4 may not be applicable at every location or on every unit.



This manual is provided courtesy of **RV Tech Cheat Sheet**



Professional resources for the whole RV industry — free.

We put manuals, wiring diagrams and hard-won tech knowledge in every technician's hands, so repairs get done right the first time, techs work faster, and RV owners everywhere get better service.



rvtechcheatsheet.com/manuals

Find thousands more RV manuals, wiring diagrams and parts lists

RV techs: share fixes, ask questions and learn from each other.

Join our free Facebook group →



Follow proper safety practices. If in doubt, consult a professional RV technician.